

STEALTH AUDIO CABLES

Analog Interconnects		0.6 m	0.75 m	1 m	1.5 m	2 m	Každý ďalší meter
Šakra V17 Limited Edition	RCA	n/a	n/a	20 700	26 500	32 400	11 700
Dvojcestný Vari-Cross amorphous wire in Helium, Konštrukcia na zákazku bez finanč. limitu, STEALTH custom RCA and XLR	XLR	n/a	n/a	27 600	32 000	42 450	14 850
Šakra V16	RCA	n/a	n/a	13 500	17900	22 200	8 600
Vari-Cross amorphous wire in Helium, Vylepšená verzia Šakra V12, STEALTH custom RCA and XLR	XLR	n/a	n/a	18 000	23 500	28 900	10 700
Šakra V12	RCA	n/a	n/a	12 000	15 800	19 600	7 600
Vari-Cross amorphous-in-Helium, our flagship interconnect STEALTH custom RCA and XLR	XLR	n/a	n/a	16 000	20 800	25 600	9 500
Indra V10	RCA	n/a	6 000	7 000	9 850	12 700	5 700
Amorphous alloy signal wire, updated multi-core geometry; STEALTH custom RCA and XLR	XLR	n/a	n/a	9 300	13 050	16 800	7 500
Metacarbon	RCA	3 000	n/a	3 300	4 150	5 000	1 700
Metallized Carbon, custom RCA a XLR	XLR	n/a	n/a	4 300	5 450	6 600	2 300
Nanofiber	RCA	2 300	n/a	2 600	3 500	4 100	1 500
Pure carbon - custom carbon connectors	XLR	n/a	n/a	3 400	4 400	5 400	2 000
Air King V16	RCA	1 700	n/a	1 900	2 300	2 700	800
Ultra thin solid core silver	XLR	n/a	n/a	2 500	3 000	3 500	1 000
Air King na sklade 1m XLR		n/a	n/a	Akcia	n/a	n/a	n/a
Ultra thin solid core silver AKCIA -30%, pôvodná cena 2500	XLR	n/a	n/a	1 750	n/a	n/a	n/a
Swift V16	RCA	1 100	1 200	1 300	1 550	1 850	550
PRO monitoring cable (proprietary conductive composite) designed for correct tonality	XLR	n/a	1 400	1 600	1 960	2 360	800
Swift na sklade 1m RCA	RCA	n/a	n/a	840	n/a	n/a	n/a
PRO monitoring cable (proprietary conductive composite) designed for correct tonality AKCIA -30%, pôvodná cena 1200 €	XLR	n/a	n/a	n/a	n/a	n/a	n/a
PGS V16 T	RCA	1700	1800	1 900	2 180	2 460	560
Tunable Pure 99.99% solid core Gold Signal	XLR	n/a	n/a	2 260	2 630	3 000	740
PGS V16	RCA	1100	1200	1 300	1 600	1 900	560
Pure 99.99% solid core Gold Signal	XLR	n/a	n/a	1 700	2 050	2 600	740
PGS rew08	RCA	n/a	n/a	n/a	n/a	n/a	n/a
Pure 99.99% solid core Gold Signal	XLR	1 000	1 100	1 300	1 950	n/a	n/a

vysvetlivka : n/a - (not available) Nevyrába sa

Digital Interconnects AES/EBU, RCA, USB, S/PDIF	0.6 m	1 m	1.5 m	2 m	Každý ďalší meter
Octava -T S/PDIF	4 300	4 500	5 150	5 800	1 300
Tunable - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver, Carbon) al. BNC	AES/EBU	5 700	6 250	7 200	1 500
Octava Standard S/PDIF	3 800	4 000	4 650	5 300	1 300
Tunable - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver, Carbon) al. BNC	AES/EBU	5 200	5 950	6 700	1 500
Sextet V16 -T S/PDIF	3 200	3 500	4 050	4600	1 100
Tunable - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver, Carbon) al. BNC					
Sextet V16 -T AES/EBU	n/a	4 400	5 050	5 700	1 300
Tunable - Six Varidig cables in one, NEW STEALTH XLRs (ultra-Teflon/silver/carbon)					
Sextet V16 -T standard S/PDIF	2 500	2 800	3 350	3900	1 100
Six Varidig cables in one, NEW for 2016 STEALTH RCAs (ultra-Teflon/silver/carbon) or BNC					
Sextet V16 -T standart AES/EBU	n/a	3 700	4 350	5 000	1 300
Six Varidig cables in one, NEW for 2014 STEALTH XLRs (ultra-Teflon/silver/carbon)					
Variding V16 -T Select S/PDIF	1 600	1 800	2 050	2300	500
TUNABLE impedance matching design, STEALTH custom Teflon/silver RCA or BNC					
Variding V16 -T Select AES/EBU	n/a	2 400	2 690	2 980	580
TUNABLE impedance matching design, STEALTH custom Teflon/silver XLR					

Variding V16 -T S/PDIF TUNABLE patent-pending impedance matching design, standard RCA or BNC	1 150	1 250	1 425	1600	350
Variding V16 -T AES/EBU TUNABLE patent-pending impedance matching design, standard XLR	n/a	1 400	1 640	1 880	480
Variding V16 standard S/PDIF patent-pending impedance matching design, standard RCA or BNC	750	850	1 025	1200	350
Variding V16 standard AES/EBU patent-pending impedance matching design, standard XLR	n/a	1 000	1 240	1 480	480
Black Magic Ethernet / LAN RJ45 quad-coax digital cable, carbon shell RJ45	1 200	1 300	1 450	1600	300
I2S quad-coax digital cable, carbon shell RJ45	1 800	2 000	2 250	2500	500

Digital Interconnects RCA, USB skladom	0.6 m	1 m	1.5 m	2 m	Každý ďalší meter
Variding S/PDIF - RCA na sklade Six Varidig cables in one, STEALTH (ultra-Teflon/silver/carbon)	n/a	700	n/a	n/a	n/a
Variding V15 - S/PDIF - RCA na sklade impedance matching design, STEALTH custom Teflon/silver RCA Tovar jesen 2016	n/a	800	n/a	n/a	n/a

Digital Interconnects USB	0.6 m	1 m	1.5 m	2 m	Každý ďalší meter
USB optimized for audio geometry	n/a	850	950	1050	200
USB - T TUNABLE - optimized for audio geometry, user-tunable, carbon shells	n/a	1 250	1 350	1450	200
USB - T Select TUNABLE - optimized for audio geometry, user-tunable, hand-selected	n/a	1 650	1 850	2000	350

Loudspeakers cables	Bi- wire	Tri-wire	<1.5 m	2 m	2,5 m	3 m	Každý ďalší meter
Dream Royale Conductive core, flat silver/round silver/copper hybrid; para-vacuum dielectric	2 500	3 750	22 000	28500	39 500	50500	22 000
Dream V 14 Conductive core, flat silver/round silver/copper hybrid; Carbon fiber based, para-vacuum dielectric	1400	2 100	13 700	14 700	18 000	21 300	6 600
Dream Petite V16 - T tunable Tunable Conductive core Vari cross geometri, para-vacuum dielectric	1 100	1 650	7 300	8300	10 500	12700	4 400
Dream Petite V16 - Conductive core Vari cross geometri, para-vacuum dielectric	1100	1 650	6 800	7 800	10 000	12 200	4 400
Cloude 99 Multi-layer TATC non-resonant matrix geometry; pure silver flat conductors, para- vacuum	650	1 000	4 000	4500	6 000	7500	3 000
Reverie Premium Premium terminated Conductive strands 24+24 individual, in 6wire bundles, non-resonant matrix geometry; para-vacum/Helium, Alloy Copper 90% /Silver /Molybdenum, Premium terminal silver spade	650	1 000	2 700	3 000	3 600	4 200	1 200
Reverie Standard Standart terminated Conductive strands 24+24 individual, in 6wire bundles, non-resonant matrix geometry; para-vacum/Helium, Alloy Copper 90% /Silver /Molybdenum, Cardas standart terminal spade	450	600	2 300	2 600	3 200	3 800	1 200

AC Power cables	1,2m	1,5 m	2 m	2,5 m	3 m	Každý ďalší meter
Dream V 20 - 20 Novinka Novinka - Očakávame	6 800	7 000	7 750	8500	9 250	1500
Dream V 16 UNI Flagship. Konfigurovateľný pre Wall, Power al. Preamp, al Digital	5 800	6 000	6 650	7300	7 950	1300
Dream V 16 Standart Unikátna konštrukcia, OFC vodiče v špeciálnom laku a v tefonovej izolácii, v niekoľkých zväzkoch v paravákuu. Štyri Verzie : PreAmp, Digital, Power Amp, Wall	5200	5 400	6 050	6 700	7 350	1 300
Dream V 10 Pozlátená OFC meď v tefonovej izolácii, v niekoľkých zväzkoch v paravákuu. Štyri Verzie : PreAmp, Digital, Power Amp, Wall	3 000	3 200	3 750	4300	4 750	1100
Cloude 99 Full Silver 99,997 Strieborné vodiče a páskové špirály, Paravákuum		2 600	3 100	3 600	4 100	1 000
Straight AC Solid silver konekt. ako u V10	2 200	2 300	2 600	2900	3 200	600
Straight AC Standard terminated	1700	1 800	2 100	2 400	2 700	600
M-7000 Solid silver konekt. ako u V10	1750	1 850	2 220	2 590	2 960	740
M-7000 Standart terminated	1230	1 330	1 700	2 070	2 440	740
Swift Solid silver konektor	980	1 025	1 150	1 275	1 400	250
Swift Standart terminated	580	625	750	875	1 000	250

Phono cables	<1,2m	1,5 m	2 m
Helios Proprietary Phono cable, Wari-Cross in helium	9 800	10 400	11 000
Hyperphono Proprietary Phono cable	3800	4 200	4 800