

## STEALTH Audio Cables

Analog Interconnects		0.6 m	0.75 m	1 m	1.5 m	2 m	Každý ďalší meter
<b>Šakra V17 Limited Edition</b> Dvojcestný Vari-Cross amorphous wire in Helium, Konštrukcia na zákazku bez finanč. limitu, STEALTH custom RCA and XLR	RCA	n/a	n/a	20 700	26 500	32 400	11 700
	XLR	n/a	n/a	27 600	32 000	42 450	14 850
<b>Šakra V16</b> Vari-Cross amorphous wire in Helium, Vylepšená verzia Šakra V 12, STEALTH custom RCA and XLR	RCA	n/a	n/a	13 800	17 700	21 600	7 800
	XLR	n/a	n/a	18 400	23 400	28 300	9 900
<b>Šakra V12</b> Vari-Cross amorphous-in-Helium, our flagship interconnect STEALTH custom RCA and XLR	RCA	n/a	n/a	12 000	15 800	19 600	7 600
	XLR	n/a	n/a	16 000	20 800	25 600	9 500
<b>Indra V10</b> Amorphous alloy signal wire, updated multi-core geometry; STEALTH custom RCA and XLR	RCA	n/a	6 000	7 000	9 850	12 700	5 700
	XLR	n/a	n/a	9 300	13 050	16 800	7 500
<b>Metacarbon</b> Metallized Carbon, custom RCA a XLR	RCA	3 000	n/a	3 300	4 150	5 000	1 700
	XLR	n/a	n/a	4 300	5 450	6 600	2 300
<b>Nanofiber</b> Pure carbon - custom carbon connectors	RCA	2 300	n/a	2 600	3 500	4 100	1 500
	XLR	n/a	n/a	3 400	4 400	5 400	2 000
<b>Air King V16</b> Ultra thin solid core silver	RCA	1 700	n/a	2 300	2 700	3 100	800
	XLR	n/a	n/a	2 900	3 400	3 900	1 000
<b>Air King na sklade 1m XLR AKCIA</b> Ultra thin solid core silver -34%, pôvodná cena 2500		n/a	n/a	2 500	n/a	n/a	n/a
	XLR	n/a	n/a	Akcia 1650	n/a	n/a	n/a
<b>Swift V16</b> PRO monitoring cable (proprietary conductive composite) designed for correct tonality	RCA	1 060	1 160	1 300	1 530	1 800	540
	XLR	n/a	1 400	1 600	1 960	2 360	720
<b>Swift na sklade 1m RCA AKCIA</b> PRO monitoring cable (proprietary conductive composite) designed for correct tonality -34%, pôvodná cena 1200 €	RCA	n/a	n/a	AKCIA 790	n/a	n/a	n/a
	XLR	n/a	n/a	1 200	n/a	n/a	n/a
<b>PGS V16 T</b> Tunable Pure 99.99% solid core Gold Signal	RCA	1700	1800	1 900	2 180	2 460	560
	XLR	n/a	n/a	2 260	2 630	3 000	740
<b>PGS V16</b> Pure 99.99% solid core Gold Signal	RCA	1100	1200	1 300	1 600	1 900	560
	XLR	n/a	n/a	1 660	2 030	2 400	740
<b>PGS rew08</b> Pure 99.99% solid core Gold Signal	RCA	n/a	n/a	n/a	n/a	n/a	n/a
	XLR	1 000	1 100	1 300	1 950	n/a	n/a

vysvetlivka : n/a - ( not available ) Nevyrába sa

Digital Interconnects AES/EBU , RCA, USB, S/PDIF		0.6 m	1 m	1.5 m	2 m	Každý ďalší meter
<b>Octava -T S/PDIF</b>		4 300	4 500	5 150	5 800	1 300
	<b>Tunable</b> - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver , Carbon) al. BNC	AES/EBU		5 700	6 250	7 200
<b>Octava Standard S/PDIF</b>		3 800	4 000	4 650	5 300	1 300
	<b>Tunable</b> - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver , Carbon) al. BNC	AES/EBU		5 200	5 950	6 700
<b>Sextet V16 -T S/PDIF</b>		3 200	3 500	4 050	4600	1 100
	<b>Tunable</b> - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver , Carbon) al. BNC					
<b>Sextet V16 -T AES/EBU</b>		n/a	4 400	5 050	5 700	1 300
	<b>Tunable</b> - Six Varidig cables in one, NEW STEALTH XLRs (ultra-Teflon/silver/carbon)					
<b>Sextet V16 -T standard S/PDIF</b>		2 500	2 800	3 350	3900	1 100
	Six Varidig cables in one, NEW for 2016 STEALTH RCAs (ultra-Teflon/silver/carbon) or BNC					
<b>Sextet V16 -T standart AES/EBU</b>		n/a	3 700	4 350	5 000	1 300
	Six Varidig cables in one, NEW for 2014 STEALTH XLRs (ultra-Teflon/silver/carbon)					
<b>Varidig V16 -T Select S/PDIF</b>		1 600	1 800	2 050	2300	500
	<b>TUNABLE</b> impedance matching design, STEALTH custom Teflon/silver RCA or BNC					
<b>Varidig V16 -T Select AES/EBU</b>		n/a	2 400	2 690	2 980	580
	<b>TUNABLE</b> impedance matching design, STEALTH custom Teflon/silver XLR					

Digital Interconnects AES/EBU , RCA, USB, S/PDIF	0.6 m	1 m	1.5 m	2 m	Každý ďalší meter
<b>Varidig V16 -T S/PDIF</b> TUNABLE patent-pending impedance matching design, standard RCA or BNC	1 150	1 250	1 425	1600	350
<b>Varidig V16 -T AES/EBU</b> TUNABLE patent-pending impedance matching design, standard XLR	n/a	1 400	1 640	1 880	480
<b>Varidig V16 standard S/PDIF</b> patent-pending impedance matching design, standard RCA or BNC	750	850	1 025	1200	350
<b>Varidig V16 standard AES/EBU</b> patent-pending impedance matching design, standard XLR	n/a	1 000	1 240	1 480	480
<b>Black Magic Ethernet / LAN RJ45</b> quad-coax digital cable, carbon shell RJ45	1 200	1 300	1 450	1600	300
<b>I2S</b> quad-coax digital cable, carbon shell RJ45	1 800	2 000	2 250	2500	500

Digital Interconnects RCA, USB skladom	0.6 m	1 m	1.5 m	2 m	Každý ďalší meter
<b>Varidig S/PDIF - RCA na sklade</b> Six Varidig cables in one, STEALTH (ultra-Teflon/silver/carbon)	n/a	700	n/a	n/a	n/a

Digital Interconnects USB	0.6 m	1 m	1.5 m	2 m	Každý ďalší meter
<b>USB</b> optimized for audio geometry	n/a	950	1 050	1150	200
<b>USB - T</b> TUNABLE - optimized for audio geometry, user-tunable, carbon shells	n/a	1 350	1 450	1550	200
<b>USB - T Select</b> TUNABLE - optimized for audio geometry, user-tunable, hand-selected	n/a	1 825	2 000	2000	350
<b>USB - T Select V3</b> TUNABLE - optimized for audio geometry, user-tunable, hand-selected	n/a	1 950	2 100	2250	400

Loudspeakers cables	Bi- wire	Tri-wire	<1.5 m	2 m	2,5 m	3 m	Každý ďalší meter
<b>Dream Royale V19</b> Conductive core, flat silver/round silver/copper hybrid; para-vacuum dielectric	3 000	3 950	28 000	36950	46 650	57450	27 000
<b>Dream V 18 - T</b> Conductive core, flat silver/round silver/copper hybrid; Tunable. Carbon fiber based, para-vacuum dielectric	1500	2 200	15 500	16 500	20 000	23 500	7 000
<b>Dream V 14</b> Conductive core, flat silver/round silver/copper hybrid; Tunable. Carbon fiber based, para-vacuum dielectric	1400	2 100	13 700	14 700	18 000	21 300	6 600
<b>Dream Petite V16 - T tunable</b> Tunable Conductive core Vari cross geometri, para-vacuum dielectric	1 100	1 650	7 300	8300	10 500	12700	4 400
<b>Dream Petite V16 - Standart</b> Conductive core Vari cross geometri, para-vacuum dielectric	1100	1 650	6 800	7 800	10 000	12 200	4 400
<b>The Wave</b> Conductive core Vari cross geometri, para-vacuum dielectric	1500	2 200	6 200	7 200	9 000	10 800	3 600
<b>Cloude 99</b> Multi-layer TATC non-resonant matrix geometry; pure silver flat conductors, para- vacuum	650	1 000	5 000	5500	7 000	8500	3 000
<b>Reverie Premium Premium terminated</b> Conductive strands 24+24 individual, in 6wire bundles, non-resonant matrix geometry; para-vacum/Helium, Alloy Copper 90% /Silver /Molybdenum, Premium terminal silver spade	650	1 000	2 700	3 000	3 600	4 200	1 200
<b>Reverie Standard Standart terminated</b> Conductive strands 24+24 individual, in 6wire bundles, non-resonant matrix geometry; para-vacum/Helium, Alloy Copper 90% /Silver /Molybdenum, Cardas standart terminal spade	450	600	2 300	2 600	3 200	3 800	1 200

AC Power cables	1,2m	1,5 m	2 m	2,5 m	3 m	Každý ďalší meter
<b>Dream V 20-20 UNI</b> New Flagship. Konfigurovateľný pre Wall, Power al. Preamp, al Digital	7 000	7 200	7 750	9000	9 900	1800
<b>Dream V 18 UNI</b> Flagship. Konfigurovateľný pre Wall, Power al. Preamp, al Digital	6 800	7 000	7 700	8400	9 200	1400
<b>Dream V 18 Standard</b> Flagship.	6 300	6 500	7 200	7900	8 600	1400
<b>Cloud Grande Full Silver</b> Flagship ... novinka	9 000	10 200	11 400	13350	16 500	2200
<b>Cloud Grande</b> Flagship ... Novinka	6 700	6 900	7 600	8300	9 000	1400
<b>Dream V 16 UNI</b> Flagship. Konfigurovateľný pre Wall, Power al. Preamp, al Digital	5 800	6 000	6 650	7300	7 950	1300
<b>Dream V 16 Standart</b> Unikátna konštrukcia, OFC vodiče v špeciálnom laku a v tefonovej izolácii, v niekoľkých zväzkoch v paravákuu. Štyri Verzie : PreAmp, Digital, Power Amp, Wall	5200	5 400	6 050	6 700	7 350	1 300
<b>Dream V 10</b> Pozlátená OFC meď v tefonovej izolácii, v niekoľkých zväzkoch v paravákuu. Štyri Verzie : PreAmp, Digital, Power Amp, Wall	3 000	3 200	3 750	4300	4 750	1100
<b>Cloude 99 Full Silver 99,997</b> Strieborné vodiče a páskové špirály, Paravákum		2 600	3 100	3 600	4 100	1 000
<b>Straight AC</b> Solid silver konektor ako u V10	2 200	2 300	2 600	2900	3 200	600
<b>Straight AC</b> Standard terminated	1700	1 800	2 100	2 400	2 700	600
<b>M-7000</b> Solid silver konektor ako u V10	1750	1 850	2 220	2 590	2 960	740
<b>M-7000</b> Standart terminated	1230	1 330	1 700	2 070	2 440	740
<b>Swift</b> Solid silver konektor ako u V10	980	1 025	1 150	1 275	1 400	250
<b>Swift</b> Standart terminated	580	625	750	875	1 000	250

Phono cables	<1,2m	1,5 m	2 m
<b>Helios</b> Propietary Phono cable, Wari-Cross in helium	9 800	10 400	11 000
<b>Hyperphono</b> Propietary Phono cable	3800	4 200	4 800