
ian den Hul



PRICE LIST 09/2015 - 09/2016

The Link between Technique and Emotion

A.J. van den Hul BV This document is meant for internal use by official distributors of A.J. van den Hul BV only. Any other use and any form of multiplication is prohibited.
 A.J. van den Hul BV holds the right to update the content and prices before the end of August 2015.

Advisory Retail Price List Sept 2015 - 2016

	3ept 2013 -
Co	ontent
Item:	Page:
Index	
The Cartridges	1
Analogue Interconnects, unbalanced	8
Analogue Interconnects, balanced	12
3T True Transmission Technologie	18
Digital Interconnects, unbalanced	25
Digital Interconnects, balanced	27
HDMI	28
USB Interconnects	30
75 Ohm Video products	31
Loudspeaker cables	36
Powercords	46
Car HiFi	48
Industrial cable products	50
Connector program	54
Electronics	58
Miscellaneous	60
Recordings	62
Cable - BERRI BusconTable	64
AWG Chart	65

Product Index			
Item:	Page:	Item:	Page:
3T Technology	18	D - 102 III Hybrid	13, 48
AC power connectors	57	D - 102 III Hybrid 3T	13
AES-EBU Professional	27	D - 102 V Special (Blue)	13, 48
Air 3T	21, 40	D - 102 V Special (Purple)	13, 48
Arctic	39	D - 300 III Hybrid	8, 50
AWG chart	65	D - 352 Hybrid	39, 49
B - 122	56	D - 501 Hybrid	5
B - 352	56	D - 501 Silver Hybr.	6
Banana connector	55	D - 502 Hybrid	6
Bay C-5	8, 48, 50	D - 610	50
BERRI Bus Connector	36, 54, 56, 64	DAAS	58
Big Mic	53	DDT - II Special	1
Black Beauty	2	Demo cases	61
BLACK HOLE	58	Digi-Coupler 75 Ohm	25, 33
Bleep	58	Display boxes plexiglass	61
Bleep DAAS	58	DIY-Banana	55
BNC male connector	55	DIY-Spade	55
BNC to Cinch	34	Emerald pre Amplifier	59
Bus Connector	49, 55	Excalibur power Amplifier	59
C - 12.0 RCA	55	First Metal Screen	10, 25
C - 4.0 RCA	54	First Ultimate MK II	10, 25
C - 5.5 RCA	54	Flexicon	12
C - 7.3 RCA	54	Frog	1
C - 8.0 RCA	54	FT-12	51
C - 8.4 RCA	54	FT-16	51
C - 9.0 RCA	55	FT-18	51
Canary	2	Goldwater	39, 48
Cartridge Clips - 1.0	5, 54	Grail phono Amplifier	7, 58
Cartridge Clips - 1.2	5, 54	Grasshopper	1, 2
Cartridge mounting set	4	HDMI Flat 180	28
Cartridge repairs	4	HDMI Flat	28
CC - 18	50	HDMI Flat HEAC	28
CD recordings regular	62	HDMI Flat SE	28
CD recordings super audio	63	HDMI repeater	29, 57
Cinch to BNC	34	HDMI Ultimate	29
Clearwater	38	HDMI Ultimate 4K HEAC	29
Cliff 3T Hybrid	16, 20	Headshell link	7
Cloud 3T	21, 22, 41, 42	Health ring	61
CNT (Carbon Nano Tube)	17	Hill 3T Hybrid	15, 19
Colibri	3	HQ - 1 Ignition cable	49
Compoline	32	Inspiration Hybrid	40
Compolink	32	Integration Hybrid	14
Condor	2, 3	Isis	6
Crimson	3	Link	60
CS - 12	50	LP recordings regular	63
CS - 122 Hybrid	39, 48	Magnum	39, 49
CS - 14	50	Mainsserver	47
CS - 14 HYBRID	50	Mainsstream BS Hybrid	46
CS - 16	50	Mainsstream Hybrid	46
CS - 18	50	MC - 10 Special	1
CT 2 x 18 FEP	38	MC - Gold MK II Hybrid	14, 15
Cumulus 3T	23, 24, 42, 43	,	
D - 101	51		
-	-		

Product Index				
Item:	Page:	Item:	Page:	
MC - ONE Special	1	Sea 3T Hybrid	11, 18	
MC - Scart	33	Second	14, 27	
MC - Silver IT 65 G	10, 26	Skyline	38, 48	
MC - Silver IT MK II 75 Ohm	11, 26, 33	Snowline	38, 48	
MC - Silver IT MK II Balanced	16	Solder	60	
MC - Silver IT MK III Balanced	16	Solder, Lead Free, Silver	60	
MC - TWO Special	1	Solution	4, 60	
MCS - 1000	51	Spade connector	55	
MCS - 150 M	5	SPED modification	3	
MIC - 2 3T	24, 52	Spindle oil	4, 60	
MIC - 3 3T	24, 52	Spirit-level	4	
MIC Highflex Hybrid	52	Sub Hybrid	9, 45	
MIC Hybrid	52	Super Nova	44	
Mini-Sub	12, 13, 44	Surf	9	
Mountain 3T Hybrid	16, 20	TAC	- 5, 55	
Mounting connectors	36, 54	Teatrack	39	
MSS - 7	5	Thames Hybrid	6	
Name	8	Third MK II	38	
Name Antenna	31	Tide	13	
Neutrik Connectors	56, 57	Tip saver	4	
Nova	43, 49	TLF Oil	4, 60	
Optocoupler MK II	26	Tracking force meter	4	
Orchid	15, 27	Triaxial Prof. 75 Ohm	32	
Phono AMP.	6, 58, 59	Turntable accessories	4	
Phono Cartridges	1	Turntable spindle oil	4,60	
Platinum	' 17	Twin	38	
Plexiglass Display Units	61	USB Ultimate	30	
Point One	7	Valley 3T	15, 19	
Polarity Checker	60	Videoline 75	31	
Pss Pss reconditioning spray	60 60	Videolink 75	31	
RCA chassis part	57	Videolink 75 Antenna	32	
Revelation Hybrid	37	Waterfall Hybrid	14	
5	37	Waternali Hybrid Wave	9	
Revolution Hybrid RGB - 5 - 75	33	Wave White Beauty	9 2	
River 3T Hybrid		White Dwarf	2 58	
•	11, 18 15, 10	Wind		
Rock 3T Hybrid	15, 19 57	Wind Wooden box	37, 51	
S-VHS Connector	57 61		4	
Sample Boxes				
SCART cable	33 57			
SCART Connector	57 27 52			
SCS - 12	37, 52 37, 52			
SCS - 16	37, 52			
SCS - 18	37, 51			
SCS - 28M	51			
SCS - 4	37, 52			
SCS - 6	37, 52			

The Cartridges

		0ept 20
The Cartridges		Advisory
		retail price
The classic cartridge range:]	
DDT - II Special (*) Moving Coil cartridge with VDH-type 1 tip, solid Boron cantilever, matched crystal silver-wire coils and 0.65 mV at 5.6 cm/sec output. With GRASSHOPPER frontpole and an extra internal support magnet.	Euro	999,00
MC - 10 Special (*) Moving Coil cartridge with VDH-type 1 tip, solid Boron cantilever, matched crystal silver-wire coils with high channel separation and 0.65 mV at 5.6 cm/sec output. Selected version of the DDT-II Special. With GRASSHOPPER frontpole and an extra internal support magnet.	Euro	1170,00
MC - ONE Special (*) Special selected version of the MC - 10 Special with 0.65 mV at 5.6 cm/sec output. With GRASSHOPPER frontpole, solid Boron cantilever and an extra internal support magnet.	Euro	1325,00
MC - TWO Special (*) High output version of the MC - ONE Special with 2.25 mV at 5.6 cm/sec output and matched crystal copper-wire coils. With GRASSHOPPER frontpole, solid Boron cantilever and an extra internal support magnet.	Euro	1695,00
(*) Special: Indicates important improvements. A thicker front pole and a small extra magnet, both further enhancing the cartridge's resolution capabilities.		
The FROG ® With the coil, front pole and suspension of The GRASSHOPPER; The best cartridge available for its price. Output 0.65 mV at 5.6 cm/sec, matched crystal copper-wire coils, solid Boron cantilever and an extra internal support magnet.	Euro	2080,00
The FROG ® HO High output version of The FROG®. Output 2.25 mV at 5.6 cm/sec. Comes with an extra internal support magnet.	Euro	2595,00
The FROG® Gold The TOP version of The FROG® with matched crystal gold-wire coils and solid Boron cantilever. Output 0.65 mV at 5.6 cm/sec. Comes with an extra internal support magnet.	Euro	2595,00
The GRASSHOPPER III series:]	
Low Output:		
The GRASSHOPPER III SLA S = matched crystal Silver coils L = Low output (0.60 mV/channel) A = AlNiCo magnet Solid Boron cantilever	Euro	3315,00

	_	0001201
The Cartridges		Advisory
	. ,	retail price
The GRASSHOPPER III GLA G = matched crystal Gold coils L = Low output (0.60 mV/channel) A = AlNiCo magnet Solid Boron cantilever	Euro	4145,00
The GRASSHOPPER BEAUTY series:		
Resolution improved GRASSHOPPER IV.	-	
The BLACK BEAUTY GPX Black body, solid Boron cantilever, matched crystal gold X coils, with 0.50 mV at 5.6 cm/sec output. Comes with an extra external support magnet. On special request medium and high output versions are available.	Euro	4695,00
The WHITE BEAUTY SPX White body, solid Boron cantilever, matched crystal silver X coils, with 0.50 mV at 5.6 cm/sec output. Comes with an extra external support magnet. On special request medium and high output versions are available.	Euro	4150,00
The WHITE BEAUTY CPX-HO White body, solid Boron cantilever, matched crystal copper X coils, with 2.25 mV at 5.6 cm/sec output. Comes with an extra external support magnet. On special request medium and high output versions are available.	Euro	4150,00
The CANARY]	
Nylon Body, 24 karat gold coils, VDH Type 1 tip. Extreme sharp focussing of the soundstage, not critical for the load-impedance. Output 0.55 mV at 5.6 cm/sec.	Euro	3200,00
The CONDOR series:		
A very innovative moving coil design specifically made for very high replay quality. Based on technology of the COLIBRI, the more robust CONDOR is made for heavier tone-arms (12-20 grams). You will like the very high resolution and extremely spacious sound reproduction. Also with a solid Boron cantilever.		
All specified outputs measured at 5.6 cm/sec: Standard version: - Low Output 0.25 mV/channel.: Standard version: - High Output 0.50 mV/channel.: Gold wire version: - Low Output 0.25 mV/channel.: Gold wire version: - High Output 0.50 mV/channel.:	Euro Euro Euro Euro	3600,00 3600,00 4150,00 4500,00

7500,00

The Cartridges

Advisory retail price

The CRIMSON series:
The CRIMEON
The CRIMSON
Just when you think "It doesn't get any better"
The CRIMSON is a top performance custom handbuilt moving coil phono
cartridge. A crossbreed of our The CANARY and The CONDOR. This cartridge is
availabale in natural light and darkwood colour as well as in a red coloured (also
wooden) version. On special request a Polycarbonate body is available.
Specific characteristics for this great cartridge are a relatively high (0,65mV)
output, gold coils, a Samarium-Cobalt magnet, extended channel seperation and
superb tracking ability.
As the popularity of vinyl is reviving again, many requests came in to develop a
High-End phono cartridge for a more affordable price than The COLIBRI. The
CRIMSON is the result and probably one of the cartridges with the best value for
money available. It is completely hand build by the Master himself and comes
with a 200 hour service check-up, free of charge (for the original owner).
The CRIMSON XGW (Wooden body natural light/darkwood/red)

with a 200 hour service check-up, free of charge (for the original owner).		
The CRIMSON XGW (Wooden body natural light/darkwood/red)	Euro	4080,00
The CRIMSON XGP (Polycarbonate body)	Euro	4080,00
The CRIMSON XGP SE (Special Edition)	Euro	4720,00

NEW!!! Euro

The CRIMSON XGA (Amber body)

	Laio	, 500,00
The COLIBRI series:]	
The COLIBRI	Euro	4950,00
Top model, featuring matched crystal copper coils and 0.22 mV at 5.6 cm/sec output. By minimizing the total magnetic circuit the Weisz-domain modulation (magnetic) distortion has undergone a considerable decrease. No frontpole. Very short 3 mm solid Boron cantilever.		
Also made in a higher output version with 0.30 mV at 5.6 cm/sec output with a load impedance of 200 Ohm - 500 Ohm, for those who mostly play classical music. Type nr.: Colibri XCP HO		
With a regular carbon-nylon body (P), total cartridge weight is 6 gram. All copper coil COLIBRI versions have the same Euro price.		
The COLIBRI XGP (Gold wire coil)	Euro	5600,00
The COLIBRI XPP (Platinum wire coil)	Euro	6400,00
The COLIBRI XPW (Blackwood body and Platinum wire coil) The COLIBRI XGA (Amber body and Gold wire coil)	Euro	8000,00
NEW!!!	Euro	9000,00
The output is 0.38 mV at 5.6 cm/sec output.		
SPED modification]	
For both The CONDOR and The COLIBRI , an upgrade / modification is available. This so called SPED (special edition) modification concerns replacement of the suspension wire by a thinner version, replacement of the damper rubbers by a "faster" type and a longer captilever	:	

by a "faster" type and a longer cantilever.

Price for The COLIBRI SPED modification: Price for The CONDOR SPED modification: Euro Euro

The Cartridges

Advisory retail price

Van den Hul cartridge repair and re-tipping service:

Aluminum cantilever:	Euro
Tip on Aluminum cantilever:	Euro
Tip on Boron or beryllium cantilever:	Euro
Tip on sapphire or diamond cantilever:	Euro
Tip and Boron cantilever:	Euro
Coil repair (if possible) starting at: Extra magnet modifications for all our Moving Coil cartridges (for increased output and higher resolution):	Euro Euro
New body (if possible) starting at:	Euro
Surcharge per standard job for all Van den Hul cartridges:	Euro
Surcharge per standard job for all non Van den Hul cartridges:	Euro

troubleshooting and repairprice-quotation on demand: Euro

Turntable accessories and cables:

Price always per meter or per unit.

Wooden box	Euro	51,50
Spirit-level Cartridge mounting set (Brush, screw driver, 2 washers, 4 screws) Tip saver	Euro Euro Euro	28,00 41,50 12,50
The Turntable Spindle Oil - Made in EU Special oil as explained on our website section F.A.Q. Supplied in a 25cc bottle with brush.	Euro	23,00
The Tracking Force Meter New improved model: a very precise (+/- 0,002 grams) touch screen digital scale to measure the exact tracking force of your mounted cartridge.	Euro	92,50
The SOLUTION - Made in EU The Solution fluid is a very stable completely non-chemical product which protects the metal of connectors or cables for a long time against chemical deterioration. Supplied in a 25cc bottle. Price per bottle:		37,50
The Lower Friction Oil (T.L.F.) Made in EU Your turntable and also all other rotating components need a perfect oil to maintain a high reliability. Our T.L.F. is the right oil for this demanding job: no oxidation, very low surface tension (1/4 of water), very strong binding with the underlying surface and ultra thin coating (just nanometers thick). Surface friction of moving parts in contact with each other is dramatically reduced (even in your car). As a general purpose low friction lubricant T.L.F. I is most suited. For heavy duty applications we advise T.L.F. II. Supplied in a 25cc bottle with brush. Price per bottle:	Euro	37,50
Box-packed The T.L.F. OIL II and The Solution - Made in EU Box-packed in 25cc bottles, together in one box.	Euro	73,50

	-	0001201
The Cartridges		Advisory
		retail price
MSS - 7: > Halogen Free < Made in EU A 36 gauge, 7 strand extremely flexible interconnect wire, available in 4 colours: transparent, blue, red and green. Each of the strands is made of a very high grade of Matched Crystal (MC) OFC with a dense and very pure silver coating. Available in any specified length starting from 1 meter. Price p/m:		14,00
MCS - 150 M: > Halogen Free < Made in EU The very flexible multistrand wire, made of very pure highest trade Matched Crystal Silver (7 single insulated very pure silver leads). For tonearms and other high quality industrial applications. Available in 4 different colours: red, green, blue or transparent. No stripping problems: the insulation acts as a flux when the MCS - 150 M is soldered to a clip or connector at a temperature of 425°C.	Euro	44,00
CC - 1.0 Gold-plated headshell wire connecting clip for cartridges with 1.0 mm connecting pins (not common). Also applicable for our CC - 18 LSC wire.	Euro	1,50
CC - 1.2 Gold-plated headshell wire connecting clip for cartridges with 1.2 mm connecting pins (the standard dimension).	Euro	2,00
The TAC Description: see section connectors. Available in a straight and 90° version.	Euro	44,00
D - 501 HYBRID > Halogen Free < Made in EU Balanced Hybrid conductor, shielded, extremely flexible tonearm connection cable in metal and LSC (carbon) construction. With durable black HULLIFLEX®(*) outer jacket. Available on 100 meter reels, minimum order length 25m. Price	Euro	22,00
TAC-RCA 1.0 meter TAC-RCA 1.2 meter TAC-RCA 1.5 meter	Euro Euro Euro	231,00 238,50 251,50
RCA-RCA 1.0 meter RCA-RCA 1.2 meter RCA-RCA 1.5 meter	Euro Euro Euro	161,00 169,50 181,50

	-	0ept 201
The Cartridges		Advisory
		retail price
		retail price
D-501 SILVER HYBRID > Halogen Free < Made in EU		
-		
Same construction as the D - 501 HYBRID, however, the two inner multistrand		
conductors are made of the highest grade Matched Crystal Silver. With durable		
black HULLIFLEX®(*) outer jacket.		
Available on 100 meter reels, minimum order length 25m. Price p/m:	Euro	99,50
TAC-RCA 1.0 meter	Euro	436,50
TAC-RCA 1.2 meter	Euro	
TAC-RCA 1.5 meter.	Euro	
	Laio	505,50
RCA-RCA 1.0 meter	Euro	369,00
RCA-RCA 1.2 meter	Euro	· · · · · · · · · · · · · · · · · · ·
RCA-RCA 1.5 meter		
RCA-RCA 1.5 Meter	Euro	495,00
D - 502 HYBRID > Halogen Free < Made in EU		
The twin version of the D - 501 HYBRID with an extra steel-wire ground-lead /		
strain-relief in its centre. With durable black $HULLIFLEX \otimes (*)$ outer jacket.		
Available on 100 meter reels, minimum order length 25m Price p/m:	Euro	40,50
TAC-RCA 1.0 meter	Euro	242,00
TAC-RCA 1.2 meter	Euro	251,50
TAC-RCA 1.5 meter	Euro	
		,
RCA-RCA 1.0 meter	Euro	147,00
RCA-RCA 1.2 meter	Euro	
RCA-RCA 1.5 meter	Euro	172,00
The ICIC > Uplemen Free 4 Made in FU		
The ISIS >Halogen Free< Made in EU		
Twin lead 19 strands per lead coaxial cable with a high flexibility and an steel-		
wire ground-lead / strainrelief in its centre. With durable bright red		
HULLIFLEX®(*) outer jacket. Specifically designed to connect a turntable to a		
(phono) pre-amp. Available on 100 meter reels, minimum order length 25m.		
Price p/m:	Euro	22,00
Also available in our standard lengths, terminated with 2 gold-plated $C - 4.0$, i
(RCA) connectors at each side.		
1.0 meter	Euro	94,00
	Euro	· · · · · · · · · · · · · · · · · · ·
1.2 meter		
1.5 meter	Euro	105,00
The THAMES HYDDID > Helegen Free 4 Made in Fil		
The THAMES HYBRID > Halogen Free < Made in EU		
Twin lead with Hybrid 7 strand per lead version of our The ISIS twin lead coaxial		
cable with a very high flexibility and an extra steel-wire ground-lead / strainrelief		
in its centre. With durable dark red HULLIFLEX®(*) outer jacket. Specifically		
designed to connect a turntable with the rest of the system. Available on 100		
meter reels. Price p/m:	Euro	29,50
Also available in our standard lengths, terminated with 2 gold-plated $C - 4.0$.,
(RCA) connectors at each side.		
1.0 meter	Euro	114,50
1.2 meter	Euro	
1.5 meter	Euro	134,00

The Cartridges Advisory retail price The Headshell link set The link between the tone-arm and the cartridge. One set contains 4 coloured leads (red, green, transparent, blue) of 3.5 cm MCS-300 with on one side a CC-1.0 and on the other side a CC-1.2 clip. Blister packed. 43,50 Euro Phono electronics: The GRAIL PHONO AMP Made in EU With this product you will be the owner of one of the most innovative and advanced phono preamplifiers available at the moment. The GRAIL A has a battery-upgrade for an even more clean and pure power supply. A balanced version of this amplifier, The Grail SB including the battery power supply, is also available. 6630,00 The GRAIL PHONO AMP..... Euro The Grail SB PHONO AMP Euro 13000,00 Van den Hul exclusive turntable: NEW!!! The Point One: exclusive turntable developed by Van den Hul. With a single ball spindle and a magnetic field stabilises the platter. SME-V (non-)detachable 9" tone arm available as accessory. SME-V tone arm 9" detachable..... SME-V tone arm 9" non-detachable.....

		Sept 20	Ū
Analogue Interconnects, unbalanced	1	Advisory	
Unless otherwise stated, price is per meter or per unit.	4	retail price	
** Nearly all our balanced interconnects are also available mounted as			
unbalanced interconnect with RCA type connectors. Please refer to the balanced	I		
interconnects section for these options.	I		
The NAME > Halogen Free < Made in EU	I		
High Quality Ø 7.3 mm, 75 Ω coaxial interconnect cable with a double screen and			
a solid core. The core and the screen are made from pure silver coated OFC. The	3		
insulation is made of HULLIFLEX $\mathbb{R}(*)$ and has a cream colour.			
NOT available on reels.			
Stereo pair The NAME $>$ Halogen Free $<$ Made in EU			
With 4 gold-plated C - 7.3 (RCA) click-on connectors.			
0.8 meter:	Euro	74,00	
1.0 meter:		77,50	
1.2 meter:		81,00	
1.5 meter:	Euro	86,00	
The BAY C5 HYBRID > Halogen Free < Made in EU			
High Quality Hybrid coaxial cable with L.S.C., coaxial highly shielded and			
mechanically very strong, 5.2 mm diam. cable. To be used as interconnect,			
internal amplifier or mixing console cable. With durable red HULLIFLEX®(*)			
jacket.			
Available on wooden 200 meter reels.Price p/m	: Euro	8,00	
Stereo pair The BAY C5 HYBRID $>$ Halogen Free $<$ Made in EU			
With 4 gold-plated C - 5.5 (RCA) connectors.			
0.8 meter:	Euro	93,00	
1.0 meter:	Euro	95,50	
1.2 meter:	Euro	98,00	
1.5 meter:	Euro	102,00	
The D - 300 III HYBRID > Halogen Free < Made in EU			
High quality coaxial Hybrid L.S.C. coated audio interlink. In a metallic brown			
coloured durable HULLIFLEX®(*) jacket.			
Available on wooden 100 meter reels. Price p/m:	Euro	8,00	
Stereo pair D - 300 III HYBRID > Halogen Free < Made in EU With 4 gold-plated C - 5.5 (RCA) connectors. Box packed.			
0.8 meter:	Euro	109,00	
1.0 meter:	Euro	112,50	
1.2 meter:		112,50	
1.5 meter:		122,00	
		,	

	-	Sept 2013
Analogue Interconnects, unbalanced		Advisory
Unless otherwise stated, price is per meter or per unit.	3	retail price
The SURF > Halogen Free < Made in EU Our entry level Fusion series coaxial interconnect. Suitable for all RCA and/or BNC type audio connections. The perfect combination with our "The SUB" subwoofer cable and "The INSPIRATION" high-end speakercable. With intense pink durable HULLIFLEX® jacket.	Euro	29,00
Stereo pair The SURF > Halogen Free < Made in EU With 4 gold-plated C - 8.4 (RCA) connectors. Box packed. 0.8 meter: 1.0 meter: 1.2 meter: 1.5 meter:	Euro Euro Euro Euro	122,50 133,00 144,00 160,50
The WAVE > Halogen Free < Made in EUCoaxial interconnect with a solid core of OFC with dense silver coating. Thiscable is double screened with woven silver coated OFC strands separated with anadditional thin metal foil. With durable green HULLIFLEX®(*) jacket. Thecharacteristic impedance is 75 Ohm.Price p/ms		19,50
Stereo pair The WAVE > Halogen Free < Made in EU With 4 gold-plated C - 7.3 (RCA) connectors. Box packed. 0.8 meter:	Euro Euro Euro Euro	140,00 146,50 153,00 162,00
The SUB HYBRID > Halogen Free < Made in EU The SUB Hybrid is a high quality RCA to RCA coaxial audio cable specifically designed to feed active subwoofers in home theatre and professional applications. As a member of our famous FUSION SERIES of interconnects, The SUB combines advanced developments in our amorphous Fusion conductor material with our well proven Linear Structured Carbon [®] technology to reach superior musical dynamics, timing and resolution in any active subwoofer With durable HULLIFLEX®(*) yellow jacket.	Euro	27,50
The SUB HYBRID Single > Halogen Free < Made in EU Available as a single lead, box packed and terminated with 2 gold-plated high quality RCA (unbalanced) C - 8.4 connectors		
1.0 meter: 1.5 meter: 2.0 meter: 3.0 meter: 5.0 meter: 7.5 meter: 10.0 meter: 15.0 meter:	Euro Euro Euro Euro Euro Euro Euro	76,00 86,50 97,50 119,50 169,00 227,50 285,00 399,50

	8	0001 201
Analogue Interconnects, unbalanced		Advisory
Unless otherwise stated, price is per meter or per unit.	8	retail price
The FIRST® Metal Screen > Halogen Free < Made in EU The conductor is made of our exclusive Linear Structured Carbon® (LSC), metal shielded with dense braided high quality metal. With durable apricot HULLIFLEX®(*) jacket. Not available on reels, due to the complex mounting process.		
Stereo pair The FIRST® Metal Screen > Halogen Free < Made in EU With 4 gold-plated C - 8.0 (RCA) connectors. Box packed. 0.8 meter: 1.0 meter: 1.2 meter: 1.5 meter:	Euro Euro Euro Euro	252,00 290,00 327,50 383,50
Stereo pair The FIRST® Ultimate MK II > Halogen Free < Made in EU The centre conductor is made of Linear Structured Carbon®. Outer braiding, functioning as screen and signal return, is made of 6 layers of braided LSC fibres. With durable light yellow HULLIFLEX®(*) jacket. Not available on reels, due to the complex mounting process.		
Stereo pair The FIRST® Ultimate MK II > Halogen Free < Made in EU With 4 gold-plated C - 8.0 (RCA) connectors. Box packed. 0.6 meter: 0.8 meter: 1.0 meter: 1.2 meter: 1.5 meter:	Euro Euro Euro Euro Euro	228,00 272,00 315,50 359,50 425,00
The MC - SILVER IT 65 G > PVC Free < Made in EU This cable exhibits an extended frequency range up to 65 GigaHertz. It's a slimline version of our MC - SILVER IT Mk II 75 Ohm. With durable transparent cobalt blue HULLIFLEX®(*) jacket. Available in regular lengths. Price	Euro	394,50
Stereo pair The MC - SILVER IT 65 G > Halogen Free < Made in EU With transparent cobalt blue HULLIFLEX®(*) jacket and 4 gold-plated C - 5.5 (RCA) connectors. Packed in a nice wooden box. 0.6 meter: 0.8 meter: 1.0 meter: 1.2 meter: 1.5 meter:	Euro Euro Euro Euro Euro	738,00 895,50 1054,00 1211,50 1449,00

		Sept 2015
Analogue Interconnects, unbalanced		Advisory
Unless otherwise stated, price is per meter or per unit.	8	retail price
The MC - SILVER IT MK II 75 Ohm > Halogen Free < Made in EU		
An on special request constructed very low radiation digital interconnect. An		
amazing 126 dB radiation damping at 1 GHz and 84 dB damping at 4 GHz. The		
impedance is 75 Ohm +/- 0,5 Ohm till 4 GHz. The ideal electrical link between		
any 75 Ohm source and 75 Ohm load. Think about player-converter connections. This cable is also very perfect in XY-component, RGB and S-VHS combinations.		
Available on 100 meter reels. Price p/m:	Euro	012 50
Available off 100 fileter feels. Frice p/fil.	Euro	813,50
Stereo pair The MC - SILVER IT MK II 75 Ohm > Halogen Free < Made	in EU	
With durable transparent cobalt blue HULLIFLEX®(*) jacket and 4 gold-plated C		
7.3 (RCA) connectors. Packed in a nice wooden box.		
0.6 meter:	Euro	1104,00
0.8 meter:	Euro	1430,00
1.0 meter:		1755,00
1.2 meter:		2080,50
1.5 meter:	Euro	2572,00
3T - True Transmission Technology		
The cables based on this technique allow a new awareness of extremely high		
quality signal transmission and excellent sound quality. The conductor is built of		
an amorphous alloy of metals and a non-metal with stunning properties as a		
result. For more details, please consult our chapter "3T - True Transmission		
Technology". Not available on reels, due to the complex mounting process.		
Stereo pair 3T The RIVER Hybrid > Halogen Free < Made in EU		
With 4 rhodium plated C-7.3 (RCA) connectors.	-	107 50
0.8 meter:		197,50 222,50
1.0 meter:		267,00
	Euro	333,50
	Luio	555,50
Stereo pair 3T The SEA Hybrid > Halogen Free < Made in EU		
With 4 rhodium plated C-8.0 (RCA) connectors.		
0.8 meter:	Euro	239,00
1.0 meter:	Euro	268,50
1.2 meter:	Euro	322,50
1.5 meter:	Euro	401,00

	_	Sept 2015
Analogue Interconnects, balanced		Advisory
Unless otherwise stated, price is per meter or per unit.	-	retail price
** Nearly all our balanced interconnects are also available mounted as		
unbalanced interconnect with RCA type connectors. Please refer to the balanced		
interconnects section for these options.		
The FLEXICON B4 > Halogen Free < Made in EU		
Balanced, 4mm diameter hifi interlink. With white durable HULLIFLEX®(*) jacket.		
Can also be used as balanced mixing console cable or internal amplifier cable.		
On top of that, not unimportant these days: mounted with on both sides a matt		
gold plated mini-jack or a mini-jack and 2 matt gold plated RCA connectors, you'll		
have a high quality mobile music source connector cable.		
Available on 200 meter reels. Price p/m:	Euro	8,50
Stereo pair The FLEXICON B4 > Halogen Free < Made in EU		
With 4 gold-plated matt C-4.0 (RCA) connectors.		
0.8 meter:	Euro	120,00
1.0 meter:	Euro	123,50
1.2 meter:	Euro	127,50
1.5 meter:	Euro	133,00
FLEXICON B4 > Halogen Free < Made in EU - Mobile connector		
With matt gold plated mini-jack and & 2 matt gold plated C-4.0 (RCA) connectors.		
1.0 meter:	Euro	146,00
1.5 meter:	Euro	155,00
With 2 matt gold plated mini-jacks.		
1.0 meter:	Euro	111,50
1.5 meter:	Euro	116,50
The MINI SUB HYBRID > Halogen Free < Made in EU		
The MINI SUB Hybrid has been especially designed as an active subwoofer cable.		
This cable is extremely flexible and has an attractive cream colored jacket that		
blends easy in any interior, making it very suitable for longer length subwoofer		
cable applications and all interconnections where there is need for a very flexible,		
price-efficient cable.		
Available on 200 meter reels. Price p/m:	Euro	12,00
Stereo pair The MINI SUB HYBRID > Halogen Free < Made in EU		
With 4 gold-plated matt C - 5.5 (RCA) connectors.		
0.8 meter:	Euro	113,50
1.0 meter:	Euro	118,00
1.2 meter:	Euro	122,50
1.5 meter:	Euro	129,50
Single packed The MINI SUB HYBRID $>$ Halogen Free < Made in EU		
With 2 gold-plated matt C - 5.5 (RCA) connectors.		
1.0 meter:		70,00
1.5 meter:		75,50
2.0 meter:		81,00
3.0 meter:		92,50
5.0 meter:		114,50
7.5 meter:		142,50 170,00
	Luiu	170,00

		00012010
Analogue Interconnects, balanced		Advisory
Unless otherwise stated, price is per meter or per unit.	-	retail price
The MINI SUB HYBRID > Halogen Free < Made in EU - MobileWith 2 matt gold plated mini-jacks.1.0 meter:1.5 meter:	Euro Euro	108,00 114,50
The D - 102 III HYBRID > Halogen Free < Made in EU <i>Our multi award</i>	d win	ner !!!
Excellent multi award winning balanced hybrid (metal and Linear Structured Carbon®) interconnect. With characteristic yellow-orange durable HULLIFLEX®(*) jacket. To be used as single cable or as stereo pair. Available on 100 meter reels.		
Stereo pair The D - 102 III 3T HYBRID > Halogen Free < Made in EU This version comes with a number of strands from our highly acclaimed 3T- technology. With 4 gold-plated matt C - 7.3 (RCA) connectors or 4 Neutrik silver plated XLR connectors. NOT available on 100 meter reels.		
0.8 meter: 1.0 meter: 1.2 meter: 1.5 meter:	Euro Euro Euro Euro	166,00 172,00
The D - 102 V SPECIAL > Halogen Free < Made in EU	Euro	17,00
Stereo pair The D - 102 V Special > Halogen Free < Made in EU With 4 gold plated C - 7.3 (RCA) connectors or 4 Neutrik silver plated XLR connectors.		
0.8 meter: 1.0 meter: 1.2 meter: 1.5 meter:	Euro Euro Euro Euro	140,50 148,50 156,00 169,00
The TIDE > Halogen Free < Made in EU	Euro	25,00
Stereo pair The TIDE > Halogen Free < Made in EU	Euro Euro Euro Euro	177,00 183,00 188,50 197,00

		3ept 2013	J
Analogue Interconnects, balanced		Advisory	
Unless otherwise stated, price is per meter or per unit.	-	retail price	
The WATERFALL HYBRID > Halogen Fee < Made in EU The WATERFALL HYBRID is a very healthy crossbreed between two of our most valued audio cables; The D - 102 III HYBRID and The INTEGRATION HYBRID. When used as a balanced audio interconnect, The WATERFALL HYBRID excels because of the combination of our highly advanced amorphous Fusion conductor material with our well proven Linear Structured Carbon ® technology in a rugged though flexible triple screened twin core design. It is therefor also perfect as a microphone or musical instrument cable. With durable HULLIFLEX®(*) jacket. Available on 100 meter reels.	Euro	40,50	
Stereo pair The WATERFALL HYBRID > Halogen Fee < Made in EU Based on our Fusion Technology, flexible triple screened twin core (balanced) and 4 gold plated C - 7.3 (RCA) connectors or 4 black Neutrik silver plated XLR			
connectors. 0.8 meter:	Euro Euro Euro Euro	181,00 189,00 196,00 206,50	
The INTEGRATION HYBRID > Halogen Fee < Made in EUBased on our Fusion Technology, Triple screened quadruple core / star quad(balanced). With durable gold tone HULLIFLEX®(*) jacket.Price p/m:	Euro	50,50	
Stereo pair The INTEGRATION HYBRID > Halogen Fee < Made in EU With 4 gold plated C - 8.0 (RCA) connectors or 4 black Neutrik silver plated XLR connectors.			
0.8 meter: 1.0 meter: 1.2 meter:	Euro Euro Euro	199,00 219,50 239,50	
1.5 meter:	Euro	270,00	
The SECOND® > Halogen Free < Made in EU Linear Structured Carbon ® (LSC) quadruple screened twin core conductors. With durable light brown HULLIFLEX®(*) jacket. Produces an amazing good sound quality. Not available on reels due to complex mounting.			
Stereo pair The SECOND ® > Halogen Free < Made in EU With 4 gold-plated C - 7.3 (RCA) connectors or 4 Neutrik silver plated XLR connectors.			
0.8 meter:	Euro Euro Euro Euro	256,00 297,00 339,00 401,00	
The MC - GOLD MK II HYBRID > Halogen Free < Made in EU Highest quality balanced hybrid interconnect with 24 carat gold plating over silver coated copper strands. Very smooth sound quality. With gold coloured durable HULLIFLEX®(*) jacket.			
Available in any specified length and on 100 meter reels. Price p/m:	Euro	166,00	

		Sept 2015
Analogue Interconnects, balanced		Advisory
Unless otherwise stated, price is per meter or per unit.		retail price
Stereo pair The MC - GOLD MK II HYBRID > Halogen Free < Made in E	U	
With 4 gold-plated C - 7.3 (RCA) connectors or 4 Neutrik silver plated XLR		
connectors.	Fure	420.00
0.8 meter: 1.0 meter:	Euro Euro	439,00 508,00
1.2 meter:	Euro	577,00
1.5 meter:	Euro	680,00
The ORCHID > Halogen Free < Made in EU		
New ideas about the transmission of ultra low level signals with a very high		
resolution were the design parameters of our 2.9 mm diameter thin triaxial		
interconnect. With Linear Structured Carbon doped insulators and Tunnel		
Technology we achieve beside a good protection against environmental effects		
also a very low microphony. The Orchid is ideal as interconnect, internal wiring		
for equipment and as a studio musical instruments cable. The Orchid is in		
balanced and unbalanced terminated version available. Not available on reels due		
to complex mounting.		
Stereo pair The ORCHID > Halogen Free < Made in EU		
With 4 gold-plated C-3.0 (RCA) connectors or 4 black Neutrik silver plated (XLR) c		
0.8 meter:	Euro	320,00
1.0 meter:	Euro	400,00
1.2 meter:	Euro	480,00
1.5 meter:	Euro	600,00
3T - True Transmission Technology		
The cables based on this technique allow a new awareness of extremely high		
quality signal transmission and excellent sound quality. The conductor is built of		
an amorphous alloy of metals and non-metals with stunning properties as a result. For more details, please consult our chapter "3T - True Transmission		
Technology". Not available on reels, due to the complex mounting process.		
rechnology. Not available on reels, due to the complex mounting process.		
Stereo pair 3T The VALLEY > Halogen Free < Made in EU With 4 rhodium plated C-7.3 (RCA) connectors or 4 black Neutrik silver plated (XL	R) con	nectors
0.8 meter:	Euro	264,50
1.0 meter:	Euro	298,00
1.2 meter:	Euro	357,50
1.5 meter:	Euro	447,00
Stereo pair 3T The ROCK Hybrid > Halogen Free < Made in EU		
With 4 rhodium plated C-8.0 (RCA) connectors or 4 black Neutrik silver plated (XL	R) con	nectors.
0,8 meter:	Éuro	455,00
1,0 meter:	Euro	512,00
1,2 meter:	Euro	615,00
1,5 meter:	Euro	768,00
Stereo pair 3T The HILL Hybrid > Halogen Free < Made in EU		
With 4 rhodium plated C-8.4 (RCA) connectors or 4 black Neutrik silver plated (XL	-	
0.8 meter:	Euro	695,00
1.0 meter:	Euro	780,00
1.2 meter:	Euro Euro	936,00 1171,00
	Luio	11/1,00

Analogue Interconnects, balanced	1	Advisory
Unless otherwise stated, price is per meter or per unit.	J	retail price
Stereo pair 3T The CLIFF Hybrid > Halogen Free < Made in EU		
With 4 rhodium plated C-11.3 (RCA) connectors or 4 black Neutrik silver plated (>	(LR) co	nnectors.
0.8 meter:	Euro	825,00
1.0 meter:	Euro	921,00
1.2 meter:	Euro	1106,00
1.5 meter:	Euro	1387,50
Stereo pair 3T The MOUNTAIN Hybrid > Halogen Free < Made in EU		
With 4 rhodium plated C-9.0 (RCA) connectors or 4 black Neutrik silver plated (XL	R) con	nectors.
0.8 meter:	Euro	944,50
1.0 meter:	Euro	1063,00
1.2 meter:	Euro	1275,50
1.5 meter:	Euro	1594,50
The MC - SILVER IT MK II Balanced > PVC Free < Made in EU		
Triaxial (Balanced) Matched Crystal Silver interconnect for highest quality level		
balanced audio signal transport. With durable transparent cobalt blue		
HULLIFLEX®(*) jacket. Available in any specified length.Price p/m	: Euro	989,50
Stereo pair The MC - SILVER IT MK II Balanced > Halogen Free < Mad With silver-plated Neutrik XLR connectors. Packed in a nice wooden box.	e in El	J
0.6 meter:	Euro	1337,50
0.8 meter:	Euro	
1.0 meter:	Euro	2128,00
1.2 meter:	Euro	2523,00
1.5 meter:	Euro	3115,00
The MC - SILVER IT MK III Balanced > PVC Free < Made in EU		
interconnects of our program: extremely spacious and dynamic in its		
performance, a break through to the future and cosmetically also a delight		
because of the durable transparent deep red HULLIFLEX $(*)$ jacket. Available in		
any length. Price p/m	· Euro	1332,00
File p/iii	. Luio	1332,00
Stereo pair The MC - SILVER IT MK III Balanced > Halogen Free < Mac With silver-plated Neutrik XLR connectors. Packed in a nice wooden box.	de in E	U
0.6 meter:	Euro	1794,50
0.8 meter:	Euro	2331,00
1.0 meter:	Euro	2867,50
1.2 meter:	Euro	3404,00
1.5 meter:	Euro	4199,50

Advisorv

retail price

Analogue Interconnects, balanced

Unless otherwise stated, price is per meter or per unit.

LIMITED EDITION

The Platinum Hybrid Mk II Balanced > **Halogen Free** < **Made in EU** Very limited edition high quality balanced interconnect with extremely purified platinum(!) signal conductors with improved platinum coloured HULLIFLEX(*) High Density jacket. With our vast knowledge on metal technology we have started by calculating the ideal specifications of the conductors and matched the type of metal that possessed these numbers. It turned out that two 0.3 mm solid core pure platinum conductors were right on the dot. The impedance between two natural conductors is a very precise 110Ω . The result is thus not only a very attractive looking cable but also probably the best metal based balanced interconnect on the market today. After our very successful introduction of the Platinum Hybrid Mk I, we have been looking at any possible improvement, which we realized in a lower capacitance conductor with an improved thicker jacket.

Stereo pair The Platinum Hybrid Mk II Balanced > Halogen Free < Made in EU

Comes with rhodium plated C - 11.3 (RCA) or silver-plated Neutrik XLR (balanced) connectors. Packed in a beautiful aluminum wallet.

0.6 meter:	Euro	5346,50
0.8 meter:	Euro	7048,50
1.0 meter:	Euro	8695,00
1.2 meter:	Euro	10385,50
1.5 meter:	Euro	12609,50

The CNT > Halogen Free < Made in EU

Our latest contribution to the always interesting world of recording and replay is our **Carbon Nano Tube based** interconnect: The CNT. Carbon Nano Tube is the most advanced conductor material at the moment available and exclusively used in our The CNT. We are proud to announce that we are **the first company worldwide to have a high-tech & commercial application of this very advanced type of carbon**. The sound quality is unsurpassed with all the properties an audiophile could dream about, like a very spacious, very dynamic and very transparent sound without any harshness. Listening gives you the feeling you are in front of the real sound-stage.

Stereo pair The CNT > Halogen Free < Made in EU

Comes with rhodium plated C - 8.4 (RCA) or silver-plated Neutrik XLR (balanced) connectors. Packed in a beautiful aluminum wallet.

0.6 meter:	Euro	
0.8 meter:		
1.0 meter:	Euro	7159,50
1.2 meter:	Euro	8547,00
1.5 meter:	Euro	10341,50

3T - True Transmission Technology

Unless otherwise stated, price is per meter or per unit.

Our innovation that has changed the audio cable world.

The cables based on this technique allow a new awareness of extremely high quality signal transmission and excellent sound quality. With all the knowledge we acquired over the years, we came up with an amorphous alloy of metals and non-metals that together make a conductor with stunning properties. To name a few: no oxidation, no metal fatigue, big strain relief, stable at extremely high as well as low temperatures, no electroplating chemicals involved, very flexible and an extremely long life-span.

Naturally, all cables have a durable HULLIFLEX®(*) jacket with non-removable printing. None of these cables is available on reels, due to complex mounting.

COAXIAL

Both 3T coaxial interconnects, The River Hybrid & The Sea Hybrid are, beside our standard packed lengths, also available in customer specified lengths. All cable manufacturing and customizing takes exclusively place in our own facilities.

Stereo pair 3T The RIVER Hybrid > Halogen Free < Made in EU

Our coaxial entry level interconnect model with both centre core and shielding made of 3T conductors. The centre conductor is made of 19 strands of 150 micron diameter each. In combination with the extra L.S.C. layer around the centre core, we have applied two very innovative technologies together to open doors to the highest quality in musical experiences.

The shielding is made of 40 3T strands combined with 2 layers of multiple heavy silver coated high quality copper strands. Our exclusive 3T technology gives a much higher resolution and richer detail, compared to any other metal technology used so far.

With 4 rhodium plated C-7.3 (RCA) connectors.		
0,8 meter:	Euro	197,50
1,0 meter:	Euro	222,50
1,2 meter:	Euro	267,00
1,5 meter:	Euro	333,50

Stereo pair 3T The SEA Hybrid > Halogen Free < Made in EU

Our second 3T coaxial interconnect with technical upgrades compared to the 3T River Hybrid. The single Hybrid centre conductor is made of a thicker 3T single strand conductor with 400 micron diameter and coated with an L.S.C. layer to improve the signal quality. The shielding has beside 40 3T strands 2 layers of multiple heavy silver coated high quality copper strands. The dynamic sound character combined with the very high resolution will be a very big surprise to you. All our combined and innovative 3T technology contributes to a very natural		
sound reproduction never experienced before.		
With 4 rhodium plated C-8.0 (RCA) connectors.		
	uro	239,00
1.0 meter: E	uro	268,50
1.2 meter: E	uro	322,50
1.5 meter: Ei	uro	401,00

Advisory retail price

Advisory

retail price

3T - True Transmission Technology

Unless otherwise stated, price is per meter or per unit.

BALANCED

Our 5 models of 3T balanced interconnects can be supplied either with RCA or XLR connectors. Beside our standard packed lengths, any other customer specified length can be produced. All cable manufacturing and customizing takes exclusively place in our own facilities.

Stereo pair 3T The VALLEY > Halogen Free < Made in EU

The 3T Valley Hybrid is our entry level model with a balanced construction. The two centre conductors are made of 21×150 micron 3T conductors and each separately coated with an L.S.C. layer to improve the resolution and spatial properties. This improves the quality of the signal transmission. Both conductors have the same property. The 3 layer shielding is used for damping of spurious signals.

With 4 rhodium plated C-7.3 (RCA) connectors or 4 black Neutrik silver plated (XLR) connectors.

0.8 meter:	Euro	264,50
1.0 meter:	Euro	298,00
1.2 meter:	Euro	357,50
1.5 meter:	Euro	447,00

Stereo pair 3T The ROCK Hybrid > Halogen Free < Made in EU

Stereo pair ST the Rock Hybrid is at the moment our most popular balanced interconnect. The 2 centre conductors are each made of 12 x 3T conductors: 1 x 400 micron surrounded by 11 x 150 micron and in total covered with an extra L.S.C. coating. The 3 layer shielding is a combination of 2 layers made of heavy silver coated copper strands and 1 layer of L.S.C. in between used for strong damping of spurious signals. The 3T The Rock Hybrid is a very successful design with already many happy users around the world. With 4 rhodium plated C-8.0 (RCA) connectors or 4 black Neutrik silver plated (XLR) connectors. 0.8 meter: L.O meter: L.O meter:	
1.2 meter: Euro 1.5 meter: Euro	768,00
Stereo pair 3T The HILL Hybrid > Halogen Free < Made in EU With the design idea to reduce the capacitive load between the two centre conductors, the dimension of the 3T The Hill Hybrid is made bigger compared to the 3T The Rock Hybrid. The 2 centre conductors consist each of a single 500 micron 3T conductor also coated with a L.S.C. layer to improve the sonic quality. The shielding against spurious signals is made of 2 layers heavy silver coated multiple copper strands and 1 extra layer of L.S.C in between. The 3T The Hill Hybrid has a remarkable spacious and clean sound character without any noticeable distortion. With 4 rhodium plated C-8.4 (RCA) connectors or 4 black Neutrik silver plated (XLR) connectors.	
0.8 meter:Euro1.0 meter:Euro1.2 meter:Euro1.5 meter:Euro	695,00 780,50 936,00 1171,00

3T - True Transmission Technology	Advisory
Unless otherwise stated, price is per meter or per unit.	retail price
Stereo pair 3T The CLIFF Hybrid > Halogen Free < Made in EU The design idea here was to have just a quad conductor construction without any screen. This to avoid the always available signal-conductor to screen capacitance. Mind: there is hardly any audio interconnect available that is this flexible without any screen! Each of the 4 conductors is made of a single 1 x 400 micron 3T conductor combined with 11 x 150 micron 3T conductors. Soundwise the 3T The Cliff Hybrid is a delight in both space and resolution. The sound reproduction is extremely clean. Instruments playing in complex musical performances can very easily be followed despite the high sound level. Connecting the 3T The Cliff Hybrid, we use two internal conductors as signal plus With 4 rhodium plated C-11.3 (RCA) connectors or 4 black Neutrik silver plated (XLR) connectors.	0 825,00
0.8 meter Eur 1.0 meter: Eur 1.2 meter: Eur 1.5 meter: Eur	o 921,00 o 1106,00
 Stereo pair 3T The MOUNTAIN Hybrid > Halogen Free < Made in EU Our top model 3T interconnect with the highest sonic quality. The two centre conductors are each made of 0,9mm diameter 3T conductors and each coated with an extra L.S.C. layer. To reduce the capacitive load by the shielding, we have enlarged the distance between the two 3T centre conductors and the shielding. This shielding is made of even 4 layers. Two are made of heavy silver coated high quality copper multistrand constructions and the other two are made of L.S.C. layers. After a run-in time of 3 – 5 hours, you will be very surprised about the huge step-up in the sound quality without changing any other component. The feeling to be "there where the recording is made" will be very strong. With 4 rhodium plated C-9.0 (RCA) connectors or 4 black Neutrik silver plated (XLR) connectors. 	
0.8 meter:Eur1.0 meter:Eur1.2 meter:Eur1.5 meter:Eur	o 1063,00 o 1275,50

Advisory

retail price

3T - True Transmission Technology

Unless otherwise stated, price is per meter or per unit.

SPEAKER CABLE

Mounted set 3T The AIR > Halogen Free < Made in EU

Van den Hul has introduced a four lead cable, equiped with our new 3T conductors, called 3T The AIR. The AIR is our 3T entry level gold coloured speaker cable that can be used for stereo (2-2), bi-wire (2-4) and/or bi-amp (4-4) applications. The termination is done with our special 3T rhodium plated Berri busconnectors.

4 Lead speaker stereo wiring set terminated with rhodium plated BERRY Bus Connectors.

2.0 meter pair, (2 cables): Euro	1243,00
2.5 meter pair, (2 cables): Euro	1320,50
3.0 meter pair, (2 cables): Euro	1418,00
4.0 meter pair, (2 cables): Euro	1689,50
5.0 meter pair, (2 cables): Euro	

4 Lead speaker bi-wiring set terminated with rhodium plated BERRY Bus Connectors.

2.0 meter pair, (2 cables): Euro	1456,50
2.5 meter pair, (2 cables): Euro	1534,50
3.0 meter pair, (2 cables): Euro	1631,50
4.0 meter pair, (2 cables): Euro	1903,50
5.0 meter pair, (2 cables): Euro	2175,50

4 Lead speaker bi-amping set terminated with rhodium plated BERRY Bus

Connectors.	
2.0 meter pair, (2 cables): Euro	
2.5 meter pair, (2 cables): Euro	1748,00
3.0 meter pair, (2 cables): Euro	
4.0 meter pair, (2 cables): Euro	
5.0 meter pair, (2 cables): Euro	2389,00

Mounted set 3T The CLOUD SE Hybrid > Halogen Free < Made in EU

This gold colored Hulliflex insulated loudspeaker cable is made of $4 \times AWG - 8$ groups of 3T strands. Each group is made of 6×7 strands with each strand a diameter of 0.34mm: combined a size of AWG-8.

Each of the 4 x AWG-8 conductor groups is coated with a heavy L.S.C. layer to improve the already very high transmission quality.

Also an extra single conductor ground-lead with a diameter of 0.8mm is positioned in the centre. The 3T The Cloud Hybrid has an outer diameter of 15.4mm.

Thanks to the really heavy 3T construction, you will enjoy a fabulous sound quality. The same as we did when the first run of the 3T The Cloud arrived here and performed very well (and even without running in) in our in-house test-system after six hours of mounting work.

4 Lead speaker stereo wiring set terminated with rhodium plated BERRY Bus Connectors.

2.0 meter pair, (2 cables): Euro	2183,00
2.5 meter pair, (2 cables): Euro	2368,00
3.0 meter pair, (2 cables): Euro	2571,50
4.0 meter pair, (2 cables): Euro	3052,50
5.0 meter pair, (2 cables): Euro	3533,50

3T - True Transmission Technology Advisorv Unless otherwise stated, price is per meter or per unit. retail price 4 Lead speaker bi-wiring set terminated with rhodium plated BERRY Bus Connectors. 2.0 meter pair, (2 cables):..... Euro 2401,00 2.5 meter pair, (2 cables):..... Euro 2586,00 3.0 meter pair, (2 cables):..... Euro 2793,50 4.0 meter pair, (2 cables): Euro 3274,50 5.0 meter pair, (2 cables):..... Euro 3755,50 4 Lead speaker bi-amping set terminated with rhodium plated BERRY Bus Connectors. 2.0 meter pair, (2 cables): Euro 2627,00 2.5 meter pair, (2 cables):..... Euro 2812,00 3.0 meter pair, (2 cables): Euro 3015,50 4.0 meter pair, (2 cables):..... Euro 3496,50 5.0 meter pair, (2 cables):..... Euro 3977,50 Mounted set 3T The CLOUD Limited Edition Hybrid > Halogen Free < Made in EU This is the pastel blue version of the 3T The Cloud SE Hybrid. The big difference is that this is a customized version, protected by a (colored) braided sleeve, packed in a beautiful aluminum case with a numbered certificate hand signed by the Master himself. 4 Lead speaker stereo wiring set terminated with rhodium plated BERRY Bus Connectors. 2.0 meter pair, (2 cables):..... Euro 2349,50 2.5 meter pair, (2 cables):..... Euro 2534,50 3.0 meter pair, (2 cables):..... Euro 2738,00 4.0 meter pair, (2 cables):..... Euro 3219,00 5.0 meter pair, (2 cables):..... Euro 3700,00 4 Lead speaker bi-wiring set terminated with rhodium plated BERRY Bus Connectors. 2.0 meter pair, (2 cables):..... Euro 2571,50 2.5 meter pair, (2 cables):..... Euro 2756,50 3.0 meter pair, (2 cables): Euro 2960,00 4.0 meter pair, (2 cables):..... Euro 3441,00 5.0 meter pair, (2 cables):..... Euro 3940,50 4 Lead speaker bi-amping set terminated with rhodium plated BERRY Bus Connectors. 2.0 meter pair, (2 cables): Euro 2793,50 2978,50 2.5 meter pair, (2 cables):..... Euro 3.0 meter pair, (2 cables):..... Euro 3182,00 4.0 meter pair, (2 cables):..... Euro 3663,00 5.0 meter pair, (2 cables):..... Euro 4162,50

	3	Sept 2015
3T - True Transmission Technology		Advisory
Unless otherwise stated, price is per meter or per unit.	-	retail price
Mounted set 3T The CUMULUS Hybrid > Halogen Free < Made in EU		
The very nicely colored gold Hulliflex insulation surrounds a real sturdy		
loudspeaker cable with both a very impressive visual performance and a		
matching impressive sound-quality.		
The 3T The Cumulus Hybrid has a quad construction with 4 separate Hulliflex		
conductors.		
Each of the 4 x AWG - 5 (!!!) 3T conductors is made of a group of multiple 3T		
strands to produce the best sound ever quality.		
Available in standard lengths and also on customer specifications. Please inform		
us at ordering whether you would like a ``2–2``, ``2–4`` or "4-4" version.		
4 Lead speaker stereo wiring set terminated with rhodium plated BERRY Bus		
Connectors.		
2.0 meter pair, (2 cables):		4467,50
2.5 meter pair, (2 cables):		4933,50
3.0 meter pair, (2 cables):		5536,00
4.0 meter pair, (2 cables):		6895,50 8255,50
5.0 meter pair, (2 cables):	EUIO	8233,30
4 Lead speaker bi-wiring set terminated with rhodium plated BERRY Bus		
Connectors.		
2.0 meter pair, (2 cables):	Euro	4759,00
2.5 meter pair, (2 cables):		5283,50
3.0 meter pair, (2 cables):		5866,00
4.0 meter pair, (2 cables):		7284,00
5.0 meter pair, (2 cables):	Euro	8644,13
4 Lond mention biometric act to main the diversity of a diverse state of DEDDV Due		
4 Lead speaker bi-amping set terminated with rhodium plated BERRY Bus		
Connectors. 2.0 meter pair, (2 cables):	F	
2.5 meter pair, (2 cables):		5050,50 5613,50
3.0 meter pair, (2 cables):		6196,50
4.0 meter pair, (2 cables):		7575,50
5.0 meter pair, (2 cables):		8935,50
		, i i
Mounted set 3T The CUMULUS Limited Edition Hybrid > Halogen Free <	Mad	e in EU
This version of the 3T The CUMULUS Hybrid is a customized numbered version,		
terminated with (colored) braided sleeves, with a certificate hand signed by the		
Master himself.		
4 Lead speaker stereo wiring set terminated with rhodium plated BERRY Bus		
Connectors.		
2.0 meter pair, (2 cables):		4754,50
2.5 meter pair, (2 cables):		5291,00
3.0 meter pair, (2 cables):		5827,50
4.0 meter pair, (2 cables): 5.0 meter pair, (2 cables):		7178,00 8510,00
	Euro	6510,00
4 Lead speaker bi-wiring set terminated with rhodium plated BERRY Bus		
Connectors. Packed in an aluminum case.		
2.0 meter pair, (2 cables):	Euro	5050,50
2.5 meter pair, (2 cables):		5605,50
3.0 meter pair, (2 cables):		0,00
4.0 meter pair, (2 cables):		7529,50
5.0 meter pair, (2 cables):	Euro	8888,00

3T - True Transmission Technology	Advisory
Unless otherwise stated, price is per meter or per unit.	retail price
4 Lead speaker bi-amping set terminated with rhodium plated BERRY Bus	
Connectors.	
2.0 meter pair, (2 cables): Euro	5328,00
2.5 meter pair, (2 cables): Euro	5901,50
3.0 meter pair, (2 cables): Euro	
4.0 meter pair, (2 cables): Euro	7862,50
5.0 meter pair, (2 cables): Euro	9213,00
Microphone cables:	
3T The MIC 2 > Halogen Free < Made in EU	
Brown coloured, two 3T conductors and double shielded, Kevlar reinforced	
microphone cable with durable HULLIFLEX $(*)$ jacket. Low capacitance.	
Available on wooden 100 meter reels. Price p/m: Euro	88,50
3T The MIC 3 > Halogen Free < Made in EU	
Violet coloured, three 3T conductors, double shielded and Kevlar reinforced	
microphone cable. With durable HULLIFLEX®(*) jacket. Low capacitance.	
Available on wooden 100 meter reels. Price p/m: Euro	111,00

Digital Interconnects, unbalanced **Advisory** Unless otherwise stated, price is per meter or unit. retail price The FIRST® Metal Screen > Halogen Free < Made in EU Conductor made of Linear Structured Carbon ® (LSC), metal shielded with dense braided high quality metal. With durable apricot HULLIFLEX®(*) jacket. Not available on reels, due to complex mounting. Single packed The FIRST® Metal Screen > Halogen Free < Made in EU With 2 gold-plated C - 8.0 (RCA) connectors. Box packed. 135,50 0.8 meter:..... Euro 1.0 meter:..... Euro 154,00 173,50 1.2 meter:.... Euro 1.5 meter:..... 202,00 Euro The FIRST® Ultimate MK II > Halogen Free < Made in EU The centre conductor is made of Linear Structured Carbon[®]. Outer braiding, functioning as screen and signal return, is made of 6 layers of braided LSC fibres. With durable light yellow HULLIFLEX®(*) jacket. Not available on reels, due to complex mounting. Single packed The FIRST® Ultimate MK II > Metal Free & Halogen Free < Made in EU With 2 gold-plated C - 8.0 (RCA) connectors. Box packed. 129,50 0.6 meter:..... Euro 142,00 0.8 meter:..... Euro 158,00 1.0 meter:..... Euro 180,00 1.2 meter:..... Euro 1.5 meter:..... Euro 212,50 Single packed The MC - The DIGI-COUPLER 75 Ohm > Halogen Free < Made in EU Our on special request designed very low radiation digital interconnect. An amazing 126 dB emission damping at 1 GHz and 84 dB damping at 4 GHz. The impedance is 75 Ohm +/- 0,5 Ohm till 4 GHz. The ideal electrical link between any 75 Ohm source and 75 Ohm load. Think about player-converter connections. This cable is also very perfect in XY-component, RGB and S-VHS combinations. With durable gold tone HULLIFLEX®(*) jacket. Available on 100 meter reels. Price Euro 27,00 The MC - The DIGI-COUPLER 75 Ohm > Halogen Free < Made in EU With 2 gold plated C - 8.4 (RCA) or 2 gold plated 9mm BNC connectors. 100,00 0.6 meter:..... Euro 105,50 0.8 meter:..... Euro 111,50 1.0 meter:..... Euro Euro 117,00 1.2 meter:..... 1.5 meter:.... Euro 124,50

	-	0001 2010
Digital Interconnects, unbalanced		Advisory
Unless otherwise stated, price is per meter or unit.	4	retail price
The MC - SILVER IT 65 G > PVC Free < Made in EU		
This cable exhibits an extremely extended frequency range to 65 GigaHertz. It is		
a slimline version of our MC - SILVER IT Mk II 75 Ohm. With transparent cobalt		
blue HULLIFLEX®(*) jacket and 2 gold-plated C - 5.5 (RCA) or 2 gold-plated		
7mm BNC connectors. Packed in a nice wooden box.	Euro	394,50
Single packed The MC - SILVER IT 65 G $>$ PVC Free < Made in EU		
0.6 meter:	Euro	431,00
0.8 meter:	Euro	510,50
1.0 meter:	Euro	589,00
1.2 meter:	Euro	668,00
1.5 meter:	Euro	786,50
The MC - SILVER IT MK II 75 Ohm $>$ PVC Free $<$ Made in EU		
With cobalt blue HULLIFLEX®(*) jacket and 2 gold-plated C - 7.3 (RCA) or 2 gold	-	
plated 9.0 mm BNC connectors.		
Packed in a nice wooden box.Price p/m	: Euro	813,50
Single packed The MC - SILVER IT MK II 75 Ohm $>$ PVC Free $<$ Made in	n EU	
0.6 meter:	Euro	623,50
0.8 meter:	Euro	786,00
1.0 meter:	Euro	949,00
1.2 meter:	Euro	1110,50
1.5 meter:	Euro	1355,00
The OPTOCOUPLER MK II		
Optical fiber cable never has any problems normally caused by e.g. external		
electrical and/or magnetic interference. Optical fiber is free from any		
deterioration. Convex shaped fiber ends reduce insertion losses to a minimum.		
Data transmission capacity: > 250 Megabit/second. Connector combination:		
Toslink - Toslink.		
1.0	F	CO 00
1.0 meter:	Euro	69,00
1.5 meter:	Euro	88,50
2.0 meter:	Euro Euro	108,50 128,00
3.0 meter:	Euro	128,00
3.5 meter:	Euro	148,00
4.0 meter:	Euro	187,50
5.0 meter:	Euro	227,00
	_3.0	,00

Advisory Retail Price List Sept 2015 - 2016

Digital Interconnects, balanced Advisory Unless otherwise stated, price is per meter or unit. retail price The AES - EBU 110 Ohm professional Link > Halogen Free < Made in Superior transmission quality for balanced digital signals at a 110 Ohm Characteristic line impedance. Frequency bandwidth up to 300 MHz with a very high shielding factor to avoid signal emission. With red durable HULLIFLEX®(*) jacket. Euro 23,00 Single packed The AES-EBU Professional 110 Ohm Link > Halogen Free < Made in EU With 2 Neutrik digital gold-plated XLR connectors designed and tuned for digital purposes. Euro 142,00 0.6 meter: Euro 148,00 Euro 148,00 1.0 meter: Euro 148,00 Euro 153,50 1.2 meter: Euro 169,00 Single packed The SECOND® > Halogen Free < Made in EU Euro 169,00 Single packed The SECOND® > Halogen Free < Made in EU Euro 140,00 169,00 Single packed The SECOND® > Halogen Free < Made in EU Euro 140,00 140,00 1.2 meter: Euro 140,00 140,00 10 140,00 10 140,00 10 140,00 10 140,00 10 140,00 10 140,00 10 140,00			Sept 2015
The AES - EBU 110 Ohm professional Link > Halogen Free < Made in Superior transmission quality for balanced digital signals at a 110 Ohm characteristic line impedance. Frequency bandwidth up to 300 MHz with a very high shielding factor to avoid signal emission. With red durable HULLIFLEX®(*) jacket. Available on 200 meter reels Price p/m: Euro 23,00 Single packed The AES-EBU Professional 110 Ohm Link > Halogen Free < Made in EU With 2 Neutrik digital gold-plated XLR connectors designed and tuned for digital purposes. Euro 142,00 0.6 meter: Euro 142,00 1.0 meter: Euro 153,50 1.2 meter: Euro 159,00 1.5 meter: Euro 169,00 Single packed The SECOND® > Halogen Free < Made in EU Euro 140,00 Linear Structured Carbon ® (LSC) quadruple screened twin core conductors. With durable light brown HULLIFLEX®(*) jacket and 2 black Neutrik silver plated XLR Euro 140,00 0.8 meter: Euro 140,00 Euro 181,00 1.2 meter: Euro 140,00 Euro 181,00 1.5 meter: Euro 140,00 Euro 181,00	Digital Interconnects, balanced]	Advisory
Superior transmission quality for balanced digital signals at a 110 Ohm characteristic line impedance. Frequency bandwidth up to 300 MHz with a very high shielding factor to avoid signal emission. With red durable HULLIFLEX®(*) jacket. Available on 200 meter reels Price p/m: Euro 23,00 Single packed The AES-EBU Professional 110 Ohm Link > Halogen Free < Made in EU With 2 Neutrik digital gold-plated XLR connectors designed and tuned for digital purposes. 0.6 meter:	Unless otherwise stated, price is per meter or unit.	_	retail price
With 2 Neutrik digital gold-plated XLR connectors designed and tuned for digital Image: Second S	Superior transmission quality for balanced digital signals at a 110 Ohm characteristic line impedance. Frequency bandwidth up to 300 MHz with a very high shielding factor to avoid signal emission. With red durable HULLIFLEX®(*) jacket.	Euro	23,00
With 2 Neutrik digital gold-plated XLR connectors designed and tuned for digital Image: Second S	Single packed The AES-EBU Professional 110 Ohm Link $>$ Halogen Free	< Mad	o in Ell
0.6 meter: Euro 142,00 0.8 meter: Euro 148,00 1.0 meter: Euro 153,50 1.2 meter: Euro 159,00 1.5 meter: Euro 169,00 Single packed The SECOND® > Halogen Free < Made in EU		< mau	
1.2 meter:Euro181,001.5 meter:Euro212,00Single packed The ORCHID > PVC free < Made in EU	0.6 meter:	Euro Euro Euro Euro	148,00 153,50 159,00 169,00 140,00
1.5 meter:Euro212,00Single packed The ORCHID > PVC free < Made in EUEuro203,50With 2 gold plated RCA connectors or 2 Neutrik silver plated XLR connectors.Euro203,501.0 meter:Euro251,501.2 meter:Euro299,50			
With 2 gold plated RCA connectors or 2 Neutrik silver plated XLR connectors.Euro203,500.8 meter:Euro203,501.0 meter:Euro251,501.2 meter:Euro299,50			· · · · · · · · · · · · · · · · · · ·
1.0 meter: Euro 251,50 1.2 meter: Euro 299,50			
1.2 meter: Euro 299,50			· · · · · · · · · · · · · · · · · · ·
	1.5 meter:	Euro	

	_	Sept 2015 -
HDMI	Ì	Advisory
Unless otherwise stated, price is per meter or unit.		retail price
THE VDH HDMI FLAT > Halogen Free < <i>Our What Hifi Award winner !!!</i>		
Our The VDH HDMI FLAT has been designed in compliance with an earlier HDMI™		
High Speed standard, warranted up to 7.5 meters. The cable's special flat design		
entails reduced digital crosstalk. 1080i up to 15.0m length.		
1.0 meter:	Euro	52,00
2.0 meter:	Euro	59,00
12.5 meter:	Euro	150,00
15.0 meter:	Euro	162,00
THE VDH HDMI FLAT 180 > Halogen Free <		
Our The VDH HDMI Flat 180, a high quality flat shaped HDMI cable with 180		
degree swivel connector, is fully compliant with the HDMI High Speed standard up		
to 5 meters (1080i up to 15 meters) and offers effortless performance.		
1.0 meter:	Euro	80,00
1.5 meter:	Euro	89,00
2.0 meter:	Euro	95,00
3.0 meter:	Euro	105,00
5.0 meter:	Euro	142,00
7.5 meter:	Euro	167,00
10.0 meter:	Euro	196,00
12.5 meter:	Euro	223,00
15.0 meter:	Euro	249,00
THE VDH HDMI FLAT HEAC > Halogen Free <		
Following the latest specifications introduced by the official HDMI organization we		
introduced The VDH HDMI Flat HEAC: a high quality flat shaped HDMI cable that		
is fully compliant with the HDMI [™] High Speed with Ethernet and audio channel		
specification for lengths up to 10.0 meter.		
1.0 meter:	Euro	80,00
1.5 meter:	Euro	89,00
2.0 meter:	Euro	95,00
3.0 meter:	Furo	105,00
5.0 meter:	Euro	142,00
7.5 meter:	Euro	167,00
10.0 meter:	Euro	196,00
	24.0	100,00
THE VDH HDMI FLAT SE > Halogen Free <		
The HDMI Flat SE is a special edition of our HDMI Flat HEAC. We were able to		
reduce the cost considerably in reference to our "regular" HDMI Flat HEAC. No		
Redmere chip is needed and we can work with AWG 28 strands of tin plated high		
purity Oxygen Free Copper. The downside is this only works up to 3,0 meter		
length. In case you need a longer length or when you prefer the AWG 26 silver		
plated strands of high purity Oxygen Free Copper, the VDH HDMI Flat HEAC		
should be your choice.		
1.0 meter:	Euro	54,00
1.5 meter:	Euro	61,00
2.0 meter:	Euro	65,00
3.0 meter:	Euro	75,00
		,

		Sept 2015
HDMI]	Advisory
Unless otherwise stated, price is per meter or unit.	•	retail price
THE VDH HDMI Ultimate > Halogen Free <		
Our The VDH HDMI Ultimate is our highest quality HDMI cable. Designed in full		
compliance with the HDMI ^{m} High Speed standard up to 10 meters. 1080i		
warranted.		
1.0 meter:	Euro	88,00
1.5 meter:	Euro	95,00
2.0 meter:	Euro	102,00
3.0 meter:	Euro	115,00
5.0 meter:	Euro	143,00
7.5 meter:	Euro	189,00
12.5 meter:	Euro	267,00
THE VOU HOMI Illimete AK HEAC > Helegen Free C		
THE VDH HDMI Ultimate 4K HEAC > Halogen Free < NEW: Our The VDH HDMI Ultimate 4K HEAC is our highest quality HDMI cable,		
ready for the future. Designed in full compliance with the HDMI [™] High Speed with	1	
Ethernet standard. Supports displays modes up to and including 3840x2160/24Hz,		
warranted for lengths from 1.0 up to 15 meter. With high quality HDMI Type A		
connectors. The cable is directional, due to a support chip. The monitor side		
connector has a special monitor image printed.		
1.0 meter:	Euro	93,00
1.5 meter:	Euro	104,00
2.0 meter:	Euro	116,00
3.0 meter:	Euro	142,00
5.0 meter:	Euro	193,00
7.5 meter:	Euro	307,00
10.0 meter:	Euro	368,00
12.5 meter:	Euro	440,00
15.0meter:	Euro	515,00
The HDMI REPEATER (incl. powersupply for extra amplification)		
FU:	Euro	69,00
USA:	Euro	69,00
USA UK:	Euro	69,00
UN	Luio	09,00

	_	
USB Interconnects		Advisory
Unless otherwise stated, price is per meter or unit.	-	retail price
The VDH USB Ultimate > Halogen Free <		
The ultimate solution for the USB A-B connection of High End digital audio products.		
Our vast knowledge on designing and producing cables, together with using the most modern technologies available has resulted in this VDH USB Ultimate cable that will satisfy even the most demanding needs.		
1.0 meter:	Euro	349,50
1.5 meter:	Euro	397,50
2.0 meter:	Euro	449,50
2.5 meter:	Euro	497,50
3.0 meter:	Euro	547,60
4.0 meter:	Euro	647,50
5.0 meter:	Euro	747,00

		Sept 2015	,
75 Ohm Video products		Advisory	
Unless otherwise stated, price is per meter or unit.	I	retail price	
The NAME Antenna > Halogen Free < Made in EU With all technical improvements over the years to upgrade the video and image quality at home, it is essential that the connection between the antenna and the rest of the AV system has a very high quality to avoid signal losses. This means a wide frequency range, a very low internal loss and a characteristic impedance matching exactly 75 Ohm. You find all this in our The NAME Antenna cable for a budget price, including two VDH custom made exact 75 Ohm connectors. Not available on reel.			
1.0 meter:	Furo	58,00	
1.2 meter:		60,00	
1.5 meter:		62,50	
2.0 meter:		66,00	
2.5 meter:		70,00	
3.0 meter:		74,00	
4.0 meter:	Euro	82,00	
5.0 meter:	Euro	90,00	
The VIDEOLINE 75 > Halogen Free < Made in EUThe thinner version of the Videolink 75. With blue durable HULLIFLEX®(*) jacket.Available on 100 meter reels.Price p/m:Single packed The VIDEOLINE 75 > Halogen Free < Made in EU	Euro	5,50	
With 2 gold-plated C - 4.0 slim (RCA) connectors or 2 gold-plated BNC			
connectors.	_	66.00	
0.8 meter:		66,00	
1.0 meter:		67,00	
1.2 meter:		68,50	
1.5 meter	Euro	70,00	
The VIDEOLINK 75 Ohm > Halogen Free < Made in EUFor high quality 75 Ohm video connections. Wide frequency range up to 1 GHzWith light-blue durable HULLIFLEX®(*) jacket.Available on 100 meter reels.Price p/m:	Furo	12,00	
······································		, - •	
Single packed The VIDEOLINK 75 Ohm cable > Halogen Free < Made in B With 2 gold-plated C - 7.3 slim (RCA) or 2 gold-plated BNC connectors.		02.00	
0.8 meter:		83,00	
1.0 meter:		85,00	
1.2 meter:		87,50	
1.5 meter:	⊏uro	91,00	

		Sept 2015
75 Ohm Video products		Advisory
Unless otherwise stated, price is per meter or unit.	•	retail price
The VIDEOLINK 75 Ohm Antenna > Halogen Free < Made in EU		
This Antenna cable is for the very demanding Videophile, where a very extended		
frequency range and extreme low signal loss combined with extended lengths are		
a must. The high density of the shield avoids any H.F. signal interference. The		
cable matches the precise 75 Ohm characteristic impedance, including two VDH		
custom made exact 75 Ohm connectors.		
1.0 meter:	Furo	102,00
1.2 meter:		102,00
1.5 meter:		107,50
2.0 meter:		113,50
2.5 meter:		119,00
3.0 meter:		124,50
4.0 meter:		136,00
5.0 meter:	Euro	147,50
The COMPOLINE 75 Ohm > Halogen Free < Made in EU		
The three lead component version of the VIDEOLINE. With durable deep blue		
HULLIFLEX®(*) jacket. Price	Euro	14,50
Single packed The COMPOLINE 75 Ohm		
With 6 gold-plated C - 4.0 slim (RCA) connectors or 6 gold-plated BNC connectors.		
0.8 meter:		73,00
1.0 meter:	Euro	75,50
1.2 meter:	Euro	78,50
1.5 meter:		82,00
	Laio	02,00
The COMPOLINK 75 Ohm > Halogen Free < Made in EU		
A three lead component version of the VIDEOLINK. With durable light blue		
HULLIFLEX®(*) jacket.	Euro	25,50
	Luio	23,30
Single packed The COMPOLINK 75 Ohm > Halogen Free < Made in EU		
With 6 gold-plated C - 7.3 slim (RCA) connectors or 6 gold-plated BNC connectors.		05.00
0.8 meter:		85,00
1.0 meter:		89,50
1.2 meter:		94,00
1.5 meter:	Euro	100,50
The TRIAXIAL Professional 75 Ohm $>$ Halogen Free< Made in EU		
Very high quality 75 Ohm impedance cable for demanding applications. Wide		
frequency range: up to 1 GHz. Triaxial construction. For floor connections, very		
low signal emission. With durable blue HULLIFLEX®(*) jacket. Available on 100		
meter reels.	Euro	22,00
		,
Single packed The TRIAXIAL Professional 75 Ohm > Halogen Free < Ma	de in	EU
With 2 gold-plated C - 9.0 (RCA) connectors or 2 gold-plated BNC connectors.		
0.8 meter:	Furo	111,00
1.0 meter:		115,00
1.2 meter:		119,50
1.5 meter:	Euro	126,00

		Sept 2015
75 Ohm Video products		Advisory
Unless otherwise stated, price is per meter or unit.		retail price
The MC - SILVER IT MK II 75 Ohm > PVC Free < Made in EU Designed for 75 Ohm HF and SPDIF digital interconnect applications. Frequency range up to 26 GHz, with durable cobalt blue HULLIFLEX®(*) jacket. Available in any length starting at 60 cm. Price p/m	Euro	813,50
Single packed The MC - SILVER IT MK II 75 Ohm > Halogen Free < Mad With 2 gold-plated C - 7.3 (RCA) connectors or 2 gold-plated 9 mm BNC connectors. Packed in a nice wooden box.	e in E	U
0.6 meter: 0.8 meter: 1.0 meter: 1.2 meter: 1.5 meter:	Euro Euro Euro	623,00 786,00 949,00 1110,50 1355,00
The DIGI-COUPLER 75 Ohm> Halogen Free < Made in EUOur, on special request designed, very low emission digital interconnect. An amazing 126 dB radiation damping at 1 GHz and 84 dB damping at 4 GHz. The impedance is 75 Ohm +/- 0,5 Ohm till 4 GHz. The ideal electrical link between any 75 Ohm source and 75 Ohm load. Think about player-converter connections. This cable is also very perfect in XY-component, RGB and S-VHS combinations. Available on 100 meter reels.Price p/m:	Euro	27,00
Single packed The DIGI-COUPLER 75 Ohm > Halogen Free < Made in El With durable gold tone HULLIFLEX®(*) jacket and 2 gold-plated C - 8.4 (RCA) or 2 gold-plated 9 mm BNC connectors. 0.6 meter:	U Euro Euro	100,00 105,50 111,50
1.2 meter:	Euro	117,00 124,50
RGB - 5 - 75 > Halogen Free < Made in EU With durable purple/red HULLIFLEX®(*) jacket. For high quality RGB connections. The cable contains 5 separately coaxial shielded 75 Ohm cables and a ground lead. Available on 50 meter reels. Single packed cables mounted with ten 4mm		
BNC connectors with a coloured band (blue, green, red, white and black).Price1.5 meter:3.0 meter:5.0 meter:5.0 meter:	Euro Euro	70,00 271,00 363,00 485,50
M.C. SCART > Halogen Free < Made in EU	Euro Euro Euro	40,50 67,50 78,50 126,50 185,00

75 Ohm Video products Unless otherwise stated, price is per meter or unit.]	Advisory retail price
BNC to Cinch adapter plug with coloured band Gold plated, available with blue, red, green, white or black band.	Euro	11,50
Cinch to BNC adapter plug with coloured band Gold plated, available with blue, red, green, white or black band.	Euro	11,50

IMPORTANT NOTICE

Our speaker cables are sold either factory-terminated or, mostly, on reels. Depending on the size of the cable these reels contain usually either 50, 100 or 200 meter lengths.

Unfortunately we don't live in a perfect world. For this reason there are always a number of non-regular lenghts in a production run due to e.g. cut-outs during quality control, printing problems, etc.

For this reason we behold the right to deliver (and charge) lengths with a tolerance in lenght of plus or minus 20% (twenty percent) of the standard configuration as mentioned in the pricelist.

Lengths that have a greater variaton are offered at a discount. A list of available types and lengths with discount is to be found at the representative section of our website.

Advisorv

retail price

Euro

Euro

Euro

43,75

83,20

126.95

222,50

120,80

343,30

Loudspeaker cables All loudspeaker cables are available per meter, unless otherwise indicated, and as mounted stereo pairs with spades and bananas in any specified length starting from 1 meter. How to calculate the price of a mounted stereo pair / stereo set of speaker cables? To calculate the price of a mounted set of speakercables we calculate how many meters of cable we need and add that price up with the following prices per connector: BERRI Bus connector on The Nova and The Super Nova BERRI Bus connector on any single-lead speaker cable and on The Inspiration BERRI Bus connector on any other multi-lead speaker cable Calculation examples: 1.) The VDH price of a pair of 2,5m D-352 Hybrid, the price will be: Price cable: 2 cables x 2,5m x Euro 8,75 Price of mounting incl. 8 connectors: 2 cables x 4 connections x Euro 10,40 Total price for a mounted pair of D-352 of 2,5m: 2.) The VDH price of a biwire set of 2,5m The Revelation Hybrid, the price will be: Price cable: 4 cables x 2,5m x Euro 22,25 Price of mounting incl. 8 connectors: 4 cables x 2 connections x Euro 15,10 Total price for a mounted set of The Revelation of 2,5m: 3.) The VDH price of a pair of 2,5m Super Nova <u>Bi-wiring</u>, the price will be:

Price cable: 2 cables x 2,5m x Euro 110,00	550,00
Price of mounting incl. 12 connectors: 2 cables $x (2 + 4)$ connections	
x Euro 18,40	220,80
Total price for a mounted pair of Super Nova Bi-wiring of 2,5m:	770,80

The advisory retail prices can be calculated by multiplying the VDH price with 3,7.

A discount on the advisory retail price for this service is allowed for your dealers at your own discretion.

Single lead loudspeaker cables:

Presenting our pride: The SCS-series

The SCS - series for certain is the very best PTFE insulated pure classic metal loudspeaker line available in the world. Made of the highest quality, very pure multi-strand copper with heavy silver coating. The tonal quality is superb; especially its extreme and smooth high frequency resolution is exceptional. The bass reproduction is very natural and powerful. Available in different sizes and price-categories: from the relatively flexible SCS-18 until the 21,2 mm² conductor surface measuring SCS-4. Highly recommended!

Info: www.vandenhul.com

		Sep
Loudspeaker cables		Advisory
All loudspeaker cables are available per meter, unless otherwise		retail price
indicated, and as mounted stereo pairs with spades and bananas in any		
specified length starting from 1 meter.		
specifica length starting from 2 meteri		
SCS - 18 > PVC Free < Made in EU		
Very high quality 18 Gauge amplifier and loudspeaker wire with PTFE insulation.		
Available in black, brown, red, orange, yellow, green, blue, grey or white on 100		
meter and 250 meter reels and in any specified length. Price p/m:	Euro	14,50
	Luio	11,50
SCS - 16 > PVC Free < Made in EU		
Very high quality 16 Gauge amplifier and loudspeaker wire with PTFE insulation.		
Also very useful for tube-amplifier (re-)wiring.		
Available in black, brown, red, yellow, green, blue, grey or white in any on 100	F	17 50
meter and 250 meter reels and in any specified length. Price	Euro	17,50
SCS - 12 > PVC Free < Made in EU		
Very high quality 11 Gauge very high quality amplifier and loudspeaker		
interconnect. Also very useful for tube-amplifier (re-)wiring. PTFE insulated.		
Available in black, brown, red, orange, yellow, green, blue, purple or white on 100		
meter reels and in any specified length. Price p/m:	Euro	24,00
SCS - 6 > PVC Free < Made in EU		
Very high quality 6 Gauge (13.2 mm ² conductor surface) loudspeaker cable PTFE		
insulated. The colour is cream. Usable connector: BC - 8.3. One set contains 4		
leads and 8 connectors.		
Available on 100 meter reels and in any specified length. Price	Euro	94,00
SCS - 4 > PVC Free < Made in EU		
Very high quality 4 Gauge (22.1 mm ² conductor surface) loudspeaker cable PTFE		
insulated. Usable connector: BC-8.0. One set contains 4 leads and 8 connectors.		
The colour is cream.	-	162.00
Available on 50 meter reels and in any specified length. Price	Euro	162,00
The WIND Mk II HYBRID > Halogen Free < Made in EU		
Very high quality multistrand single lead (AWG 10.5) loudspeaker cable with Multi		
Conductor Construction (MCC) and a L.S.C.® saturated coating. In peach		
coloured durable HULLIFLEX®(*) jacket with black printing. Usable connectors: B-		
122 or BC-6.5.		
Available on wooden 100 meter reels. Price	Euro	26,50
Available off wooden 100 meter reels.	Euro	20,30
The REVOLUTION HYBRID > Halogen Free < Made in EU		
A high quality single lead loudspeaker cable, with red HULLIFLEX®(*) jacket. Like		
"The REVELATION" it has a multistrand conductor, an extra internal layer of		
L.S.C.® and a ring of 16 separately insulated strands. This makes that this cable		
is more flexible. The diameter is 8.0 mm, which is somewhat less than The		
REVELATION. The red jacket has gold printing. Usable connectors: B-352 or BC-	_	44.00
6.5 mm. Availabe on 50 meter reels and in any specified length. Price p/m:	Euro	44,00
The DEVELATION HYRDID \ Helegen Erec < Made in EU		
The REVELATION HYBRID > Halogen Free < Made in EU		
A heavy duty, very high quality single lead loudspeaker cable, with a multistrand		
conductor, an extra internal layer of L.S.C.® and a ring of 16 separately insulated		
strands. The diameter is 12.5 mm. In red durable HULLIFLEX®(*) jacket with		
gold printing. Usable connectors: B-352 or BC-13.2 mm. Available	-	02.00
in any specified length starting from 1 meter. Price p/m:	Euro	82,00

		Sep	t 2
Loudspeaker cables		Advisory	
All loudspeaker cables are available per meter, unless otherwise		retail price	
indicated, and as mounted stereo pairs with spades and bananas in any			
specified length starting from 1 meter.			
The THIRD® MkII > Metal Free & Halogen Free < Made in EU			
The loudspeaker cable with 4 million L.S.C. fibers with the most neutral result			
reachable. The THIRD® MkII has a HULLIFLEX®(*) jacket and will be delivered			
only as a set (4 cables) terminated with 8x BC-6,5 with spades and 8 extra			
bananaheads. The minimum length of a set is 1.0 meter, maximum length is 3.0			
meter. On each set of the THIRD® we offer a five year warranty on material and workmanship. Nicely packed in a handy case.			
Available in any specified length from 1 - 3 meter.			
1.0 meter set, 4 leads:	Euro	2849,00	
1.5 meter set, 4 leads:		3570,50	
2.0 meter set, 4 leads:	Euro	4292,00	
2.5 meter set, 4 leads:		5032,00	
3.0 meter set, 4 leads:	Euro	5753,50	
Turin land landan salaan salah			
Twin lead loudspeaker cable:			
The TWIN > Halogen Free < Made in EU			
2 x 1,23 mm ² diameter OFC lead speakercable, specifically designed for			
installation projects. Also excellent for in-house applications. With either			
transparent or red Hulliflex jacket. Available on wooden 200 meter reels.			
On special order we can supply any jacket color and/or additional printing	F	2.00	
(starting at 5.000 meters, depending on your specifications). Price	Euro	3,60	
The CT 2 x 18 FEP Made in EU			
Loudspeaker cables are mostly difficult to move through tubes from the power-			
amp to e.g. the rear loudspeakers. With this problem in mind, we came up with a			
twin-lead FEP insulated loudspeaker cable. Available on wooden 100 meter reels.			
Price p/m	: Euro	8,00	
The SKYLINE HYBRID > Halogen Free < Made in EU			
Flat twin-lead very pure copper and Linear Structured Carbon® coated Hybrid conductor flexible speaker cable (2x AWG 14). With sky-blue durable			
HULLIFLEX®(*) jacket. Usable connectors: B-122, BC-4.5 or D.I.Y.			
Available on wooden 50 and 100 meter reels. Price	Euro	5,50	
		-,	
The SNOWLINE > Halogen Free < Made in EU			
For many years already our best-selling budget-prized loudspeaker cabl	e!		
Flat twin-lead very flexible (2x AWG 14) speaker cable with white durable			
HULLIFLEX®(*) jacket. The white jacket is made of HULLIFLEX®3, a superior			
insulation material exhibiting a very good mechanical protection and a high			
chemical stability. Usable connectors: B-122, BC-4.5 or D.I.Y.	F	7 50	
Available on wooden 50, 100 and 200 meter reels.Price	Euro	7,50	
The CLEARWATER > Halogen Free < Made in EU			
Flat twin-lead very flexible (AWG 14) loudspeaker cable with just one aim: the			
best quality sound transmission for the lowest price possible. With transparent			
durable HULLIFLEX®(*) jacket. Usable connectors: B-122, BC-4.5 or D.I.Y.			
Available on wooden 100 meter reels. Price	Euro	11,00	

	I		Gep
Loudspeaker cables			Advisory
All loudspeaker cables are available per meter, unless otherwi			retail price
indicated, and as mounted stereo pairs with spades and banar	nas in any		
specified length starting from 1 meter.			
The ARCTIC > Halogen Free < Made in EU			
-			
Flat twin-lead (2x AWG12) flexible loudspeaker cable with white durable HULLIFLEX® jacket. This is the heavier version of our well known The	e		
SNOWLINE. Usable connectors: B-352, BC-3 or D.I.Y. On special order	we can		
supply any custom printing (OEM printing for this cable starts at 500 m			
	Price p/m:	Euro	13,50
	• •		, i
The GOLDWATER > Halogen Free < Made in EU			
Twin-lead (2x AWG 14) loudspeaker cable like the original CLEARWATE			
a special gold coloured durable HULLIFLEX®(*) jacket which provides	extra		
protection against ultraviolet (UV) radiation from the sun.			
Usable connectors: B-122, BC-6.5 or D.I.Y.	D '	_	10 50
Available on wooden 100 meter reels.	Price	Euro	13,50
The CS - 122 HYBRID > Halogen Free < Made in EU: <i>Our Mu</i>	lti Award V	Vinnii	#VERW!
Twin-lead version of the CS - 12 HF (2x AWG 12). Flat loudspeaker cat		• • • • • • • • • •	
L.S.C.® saturated coating around the two dense silver coated very pur			
multistrand conductors. With durable HULLIFLEX®(*) cream jacket. Us	•••		
connectors: B-352, BC-6.5 or D.I.Y.			
Available on wooden 50 and 100 meter reels.	Price	Euro	18,50
The D - 352 HYBRID > Halogen Free < Made in EU	-		
High quality twin-lead (2x AWG 10) flat loudspeaker cable with a L.S.C			
saturated coating around the two heavy silver coated multistrand copp			
conductors. With durable HULLIFLEX®(*) jacket, brown metallic colou gold printing. Usable connectors: B-352, BC-8.3.	red with		
Available on wooden 25 and 50 meter reels.	Price	Euro	32,00
Available off woodelf 25 and 50 meter reels.	THEE	Luio	52,00
The MAGNUM HYBRID > Halogen Free < Made in EU			
Heavy, very high quality flexible flat twin-lead (2x AWG 8) loudspeaker	cable with		
a L.S.C.® saturated coating around the two silver coated multistrand c	opper		
conductors. In a nice dark-red durable HULLIFLEX®(*) jacket. Usable	connector:		
BC-8.3.			
Available on wooden 50 meter reels.	Price	Euro	49,50
Four log d lou day on how on his or			
Four lead loudspeaker cables:			
The TEATRACK HYBRID > Halogen Free < Made in EU			
Twin version of the CS - 122 HYBRID (AWG 12). Flat four-lead loudspe	aker cable,		
with a L.S.C.® saturated layer around dense silver coated very pure co			
multistrand conductors. With cream coloured durable HULLIFLEX®(*)	jacket.		
Usable connectors: B-352 or BC-6.5.			
Available on wooden 50 meter reels.	Price	Euro	38,00

		Sepi
Loudspeaker cables		Advisory
All loudspeaker cables are available per meter, unless otherwise		retail price
indicated, and as mounted stereo pairs with spades and bananas in any		•
specified length starting from 1 meter.		
The INSPIRATION HYBRID $>$ Halogen Free < Made in EU		
High quality 4 lead gold coloured outer jacket loudspeaker cable in Fusion		
Technology. The four internal conductors have separate L.S.C.® layers and an		
extra center lead for grounding. This cable gives an excellent sound quality.		
Usable connectors: BC-3 (biwiring) or BC-5 (normal wiring). Available on 50 meter reels. Price	Fure	112 50
	Euro	112,50
Also available as mounted stereo pairs in any specified		
length starting from 1 meter, in the following combinations:		
• Bi-amping (i.e. each cable 4 conn. at amp. side and 4 conn. at spkr. side)		
 Bi-wiring (i.e. each cable 2 conn. at amp. side and 4 conn. at spkr. side) Stereo wiring (i.e. each cable 2 conn. at amp. side and 2 conn. at spkr. side) 		
• Stereo winng (i.e. each cable 2 conn. at amp. side and 2 conn. at spki. side)		
Mounted set 3T The AIR > Halogen Free < Made in EU		
Van den Hul has introduced a gold coloured four lead cable in approximately the		
same diameter as the Fusion Technology The Inspiration, equiped with our new		
3T conductors, called 3T The AIR. The 3T The AIR cable can be used for stereo		
(2-2), bi-wire (2-4) and/or bi-amp (4-4) applications. The Termination is done		
with our special 3T Rhodium plated Berri busconnectors.		
4 Lead speaker stereo wiring set terminated with rhodium plated BERRY Bus		
Connectors. Nicely packed in a handy case.		
2.0 meter pair, (2 cables):		1243,00
2.5 meter pair, (2 cables):		1320,50
3.0 meter pair, (2 cables):		1418,00 1689,50
4.0 meter pair, (2 cables): 5.0 meter pair, (2 cables):		1961,50
	Luio	1501,50
4 Lead speaker bi-wiring set terminated with rhodium plated BERRY Bus		
Connectors. Nicely packed in a handy case.		
2.0 meter pair, (2 cables):		1456,50
2.5 meter pair, (2 cables):		1534,50
3.0 meter pair, (2 cables):		1631,50
4.0 meter pair, (2 cables):		1903,50
5.0 meter pair, (2 cables):	Euro	2175,50
4 Lead speaker bi-amping set terminated with rhodium plated BERRY Bus		
Connectors. Nicely packed in a handy case.		
2.0 meter pair, (2 cables):	Euro	1670,50
2.5 meter pair, (2 cables):		1748,00
3.0 meter pair, (2 cables):		1845,00
4.0 meter pair, (2 cables):		2117,00
5.0 meter pair, (2 cables):	Euro	2389,00

	Sept
Loudspeaker cables	Advisory
-	retail price
indicated, and as mounted stereo pairs with spades and bananas in any	rectan price
specified length starting from 1 meter.	
Mounted set 3T The CLOUD SE Hybrid > Halogen Free < Made in EU	
This gold colored Hulliflex insulated loudspeaker cable is made of 4 x AWG – 8	
groups of 3T strands. Each group is made of 6×7 strands with each strand a	
diameter of 0,34mm: combined a size of AWG-8.	
Each of the 4 x AWG-8 conductor groups is coated with a heavy L.S.C. layer to	
improve the already very high transmission quality.	
Also an extra single conductor ground-lead with a diameter of 0,8mm is	
positioned in the centre. The 3T The Cloud Hybrid has an outer diameter of	
15,4mm.	
Thanks to the really heavy 3T construction, you will enjoy a fabulous sound	
quality. The same as we did when the first run of the 3T The Cloud arrived here	
and performed very well (and even without running in) in our in-house test- system after six hour of mounting work.	
4 Lead speaker stereo wiring set terminated with rhodium plated BERRY Bus Connectors. Nicely packed in a handy case.	
2.0 meter pair, (2 cables): Euro	2183,00
2.5 meter pair, (2 cables):	2368,00
3.0 meter pair, (2 cables):	2571,50
4.0 meter pair, (2 cables): Euro	3052,50
5.0 meter pair, (2 cables): Euro	3533,50
4 Lead speaker bi-wiring set terminated with rhodium plated BERRY Bus	
Connectors. Nicely packed in a handy case.	
2.0 meter pair, (2 cables):	2401,00
2.5 meter pair, (2 cables):	2586,00 2793,50
3.0 meter pair, (2 cables): Euro 4.0 meter pair, (2 cables): Euro	3274,50
5.0 meter pair, (2 cables):	3755,50
	,
4 Lead speaker bi-amping set terminated with rhodium plated BERRY Bus	
Connectors. Nicely packed in a handy case.	
2.0 meter pair, (2 cables): Euro	2627,00
2.5 meter pair, (2 cables):	2812,00
3.0 meter pair, (2 cables):	3015,50
4.0 meter pair, (2 cables): Euro 5.0 meter pair, (2 cables): Euro	3496,50 3977,50
	06,1782
Mounted set 3T The CLOUD Limited Edition Hybrid > Halogen Free < Made in	EU
This is the pastel blue version of the 3T The Cloud SE Hybrid. The big difference	
is that this is a customized numbered version, terminated with (colored) braided	
sleeves, packed in a beautiful aluminum case with a certificate hand signed by the	
Master himself.	
A Load cooper stored wiring cat terminated with readium plated REDRY Rus	
4 Lead speaker stereo wiring set terminated with rhodium plated BERRY Bus Connectors. Packed in an aluminum case.	
2.0 meter pair, (2 cables): Euro	2349,50
2.5 meter pair, (2 cables):	2534,50
3.0 meter pair, (2 cables):	2738,00
4.0 meter pair, (2 cables):	3219,00
5.0 meter pair, (2 cables): Euro	3700,00

		Sept
Loudspeaker cables		Advisory
All loudspeaker cables are available per meter, unless otherwise		retail price
indicated, and as mounted stereo pairs with spades and bananas in any		
specified length starting from 1 meter.		
specified length starting from 1 meter.		
4 Lead speaker bi-wiring set terminated with rhodium plated BERRY Bus		
Connectors. Packed in an aluminum case.		
2.0 meter pair, (2 cables):	iro	2571,50
2.5 meter pair, (2 cables):		2756,50
3.0 meter pair, (2 cables):		2960,00
4.0 meter pair, (2 cables):		3441,00
5.0 meter pair, (2 cables):		3940,50
	10	55-0,50
4 Lead speaker bi-amping set terminated with rhodium plated BERRY Bus		
Connectors. Packed in an aluminum case.		
		2702 50
2.0 meter pair, (2 cables):		2793,50
2.5 meter pair, (2 cables):		2978,50
3.0 meter pair, (2 cables):		3182,00
4.0 meter pair, (2 cables):		3663,00
5.0 meter pair, (2 cables): El	ILO	4162,50
Mounted act 2T The CUMULUC Unbrid & Unlegen Free 4 Made in FU		
Mounted set 3T The CUMULUS Hybrid > Halogen Free < Made in EU		
The very light gold coloured Hulliflex insulation surrounds a real sturdy		
loudspeaker cable with both a combined impressive visual performance and a		
very impressive sound-quality.		
The 3T The Cloud Hybrid has a quad construction with 4 separate 3T conductors.		
Each of the 4 x AWG - 5 (!!!) 3T conductors is made of a group of multiple 3T		
strands to produce the best sound ever quality.		
Available in standard lengths and also on customer specifications. Please inform		
us at ordering whether you would like a "2–2", "2–4" or "4-4" version.		
4 Lead speaker stereo wiring set terminated with rhodium plated BERRY Bus		
Connectors. Nicely packed in a handy case.		
2.0 meter pair, (2 cables):	ro	4467,50
2.5 meter pair, (2 cables):		4933,50
3.0 meter pair, (2 cables):		5536,00
4.0 meter pair, (2 cables):		6895,50
5.0 meter pair, (2 cables):		8255,50
	10	0233,30
4 Lead speaker bi-wiring set terminated with rhodium plated BERRY Bus		
Connectors. Nicely packed in a handy case.		
	ro	4759,00
2.0 meter pair, (2 cables):		5283,50
2.5 meter pair, (2 cables):		
3.0 meter pair, (2 cables):		5866,00
4.0 meter pair, (2 cables):		7284,00
5.0 meter pair, (2 cables): Eu	ro	8644,00
4 Lond encology bit empires out to uningted with the diversity of DEDDV D		
4 Lead speaker bi-amping set terminated with rhodium plated BERRY Bus		
Connectors. Nicely packed in a handy case.		
2.0 meter pair, (2 cables):EL		5050,50
2.5 meter pair, (2 cables):		5613,50
3.0 meter pair, (2 cables):Eu		6196,50
4.0 meter pair, (2 cables):Eu		7575,50
5.0 meter pair, (2 cables):Eu	ro	8935,50

		Осрг
Loudspeaker cables		Advisory
All loudspeaker cables are available per meter, unless otherwise		retail price
indicated, and as mounted stereo pairs with spades and bananas in any		
specified length starting from 1 meter.		
specified length starting from 1 meters		
Mounted set 3T The CUMULUS Limited Edition Hybrid > Halogen Free <	Made	in EU
This version of the 3T The CUMULUS Hybrid is a customized numbered version,		
terminated with (colored) braided sleeves, with a certificate hand signed by the		
Master himself.		
4 Lead speaker stereo wiring set terminated with rhodium plated BERRY Bus		
Connectors. Nicely packed in a handy case.		
2.0 meter pair, (2 cables):	Euro	4754,50
2.5 meter pair, (2 cables):		5291,00
3.0 meter pair, (2 cables):		5827,50
4.0 meter pair, (2 cables):		7178,00
5.0 meter pair, (2 cables):		8510,00
	Luio	0510,00
4 Lead speaker bi-wiring set terminated with rhodium plated BERRY Bus		
Connectors.		
2.0 meter pair, (2 cables):	Euro	5050,00
2.5 meter pair, (2 cables):		5605,50
3.0 meter pair, (2 cables):		6160,50
4.0 meter pair, (2 cables):		7529,50
5.0 meter pair, (2 cables):		8880,00
5.0 meter pair, (2 cables)	Luio	0000,00
4 Lead speaker bi-amping set terminated with rhodium plated BERRY Bus		
Connectors.		
2.0 meter pair, (2 cables):	Euro	5328,00
2.5 meter pair, (2 cables):		5901,50
3.0 meter pair, (2 cables):		6475,00
4.0 meter pair, (2 cables):		7862,50
5.0 meter pair, (2 cables):		9213,00
	Luio	5215,00
The NOVA > PVC Free < Made in EU		
A slightly thinner (17 mm diameter) version of our prestigious loudspeakercable		
The SUPER NOVA. With the same beautiful protective red jacket, containing 4 x AWG 8 leads and an extra shield to avoid H.F. interference. Made for the		
audiophile with a slightly limited budget who still wants the best. Nicely packed in	F	206.00
a handy case. Price	Euro	296,00
Also sucified to a mounted stand using in successfied loweth starting		
Also available as mounted stereo pairs in any specified length starting		
from 1 meter, in the following combinations:		
• Stereo wiring (i.e. each cable 2 conn. at amp. side and 2 conn. at spkr. side)	F una	1694.00
2.0 meter:	Euro	1684,00 1980,00
	Euro	
Bi-wiring (i.e. each cable 2 conn. at amp. side and 4 conn. at spkr. side)	Euro	2276,00
• Bi-wining (i.e. each cable 2 contr. at amp. side and 4 contr. at spkr. side) 2.0 meter:	Euro	1934,00
2.5 meter:	Euro Euro	2230,00
3.0 meter:	Euro Euro	2526,00
 Bi-amping (i.e. each cable 4 conn. at amp. side and 4 conn. at spkr. side) 	Luio	2520,00
• Braniping (i.e. each cable 4 conn. at amp. side and 4 conn. at spki. side) 2.0 meter:	Euro	2184,00
2.5 meter:	Euro	2480,00
3.0 meter:	Euro	2776,00
	Luiu	2770,00

		0001
Loudspeaker cables		Advisory
All loudspeaker cables are available per meter, unless otherwise		retail price
indicated, and as mounted stereo pairs with spades and bananas in any		
specified length starting from 1 meter.		
The SUPER NOVA > PVC Free < Made in EU		
An impressive 20 mm diameter, deep red proctective jacket 4 x AWG 6		
loudspeaker cable including an extra shield to avoid H.F. interference. Especially		
made for very demanding audiophiles. Nicely packed in a handy case.		
Price p/m:	Euro	407,00
Also susible as mounted starse using in any specified length starting		
Also available as mounted stereo pairs in any specified length starting		
 from 1 meter, in the following combinations: Stereo wiring (i.e. each cable 2 conn. at amp. side and 2 conn. at spkr. side) 		
2.0 meter:	Euro	2128,00
2.5 meter:	Euro	2534,50
3.0 meter:	Euro	2942,00
• Bi-wiring (i.e. each cable 2 conn. at amp. side and 4 conn. at spkr. side)	Luio	2512,00
2.0 meter:	Euro	2378,00
2.5 meter:	Euro	2785,00
3.0 meter:	Euro	3192,00
• Bi-amping (i.e. each cable 4 conn. at amp. side and 4 conn. at spkr. side)		
2.0 meter:	Euro	2628,00
2.5 meter:	Euro	3035,00
3.0 meter:	Euro	3442,00
Subwoofer cables:		
The MINI SUB HYBRID > Halogen Free < Made in EU		
The MINISUB Hybrid typically has been designed as an active subwoofer cable. It		
is extremely flexible, and has an attractive cream colored jacket that blends easily		
in any interior, making it very suitable for longer length subwoofer cable		
applications and all other interconnections where there is need for a very flexible, price-efficient cable. Price	_	40.00
	Euro	12,00
Available as a single lead, box packed and terminated with 2 gold-plated high		
quality RCA (unbalanced) C - 5.5 connectors and on wooden 200 meter reels.	-	70.00
1.0 meter:	Euro	70,00
1.5 meter:	Euro Euro	75,50 81,00
3.0 meter:	Euro	92,50
5.0 meter:	Euro	114,50
7.5 meter:	Euro	142,00
10.0 meter:	Euro	170,00

		Oepi
Loudspeaker cables		Advisory
All loudspeaker cables are available per meter, unless otherwise		retail price
indicated, and as mounted stereo pairs with spades and bananas in any		
specified length starting from 1 meter.		
The SUB HYBRID > Halogen Free < Made in EU		
The SUB Hybrid is a high quality RCA to RCA coaxial audio cable specifically		
designed to feed active subwoofers in home theatre and professional applications.		
As a member of our famed FUSION SERIES of interconnects, The SUB combines		
advanced developments in our amorphous Fusion conductor material with our		
well proven Linear Structured Carbon ® technology to reach superior musical		
dynamics, timing and resolution in any subwoofer application. With durable yellow		
HULLIFLEX®(*) jacket. Price p/m:	Euro	27,50
Available as a single lead, box packed and terminated with 2 gold-plated high		
quality RCA (unbalanced) C - 8.4 connectors and on wooden 100 meter reels.		
1.0 meter:	Euro	76,00
1.5 meter:	Euro	86,50
2.0 meter:	Euro	97,50
3.0 meter:	Euro	119,50
5.0 meter:	Euro	169,00
7.5 meter:	Euro	227,00
10.0 meter:	Euro	285,00
15.0 meter:	Euro	399,50
IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		
HULLIFLEX® (*): HULLIFLEX® is a world-wide registered and patented		
insulator material, especially designed by the Van den Hul company. It is very		
flexible and combines a high chemical stability with a superb mechanical		

insulator material, especially designed by the Van den Hul company. It is very flexible and combines a high chemical stability with a superb mechanical protection of the signal conductor. It enhances both sound quality and durability of the product. For environmental reasons HULLIFLEX® is completely PVC and Halogen Free.

L.S.C. (Linear Structured Carbon) is a world-wide registered and patented material designed and produced by the Van den Hul company.

Gauge : see our AWG chart.

BC-...: (BERRI) Busconnector 3, 4, 5, 6.5, 8 and 10 mm (cable entrance).

	-		
Powercords		Advisory	
		retail price	
M.C. The MAINSSTREAM HYBRID > Halogen Free < Made in EU VDE-RegNr. 7824 Heavy duty wideband spurious signals filtering power cord with 7 strands and heavy shielding. Outer diameter 15 mm and current handling over 20 Amps. With gold-coloured durable HULLIFLEX®(*) jacket. Available on 50 meter reels, but any other length can be ordered starting from 1.5 meter. Only available unterminated upon special request and after our liability disclaimer has been signed.			
Special assembled "The MAINSSTREAM" cables 1.5 meter, Schuko -> IEC connector: 2.0 meter, Schuko -> IEC connector: 2.5 meter, Schuko -> IEC connector:	Euro	341,00 379,00 417,00	
 1.5 meter, US standard -> IEC connector: 2.0 meter, US standard -> IEC connector: 2.5 meter, US standard -> IEC connector: 	Euro	377,00 415,00 453,00	
 1.5 meter, US Gold plated * audio grade -> IEC connector: 2.0 meter, US Gold plated * audio grade -> IEC connector: 2.5 meter, US Gold plated * audio grade -> IEC connector: 	Euro		
The MAINSSTREAM Schuko with distribution board> Halogen Free <Mainsstream mounted with a Schuko and a 7 socket connection block.1.5 meter, Schuko male - 7x Schuko female outlet:2.0 meter, Schuko male - 7x Schuko female outlet:2.5 meter, Schuko male - 7x Schuko female outlet:	Euro	569,50 607,50 645,50	
M.C. The MAINSSTREAM BS HYBRID > Halogen Free < Made in EU VDE-RegNr. 7929 Thinner version of The MAINSSTREAM HYBRID and with the same filtering technology of wideband spurious signals. Outer diameter 12.5 mm and current handling over 20 Ampere. With gold-coloured durable HULLIFLEX®(*) jacket. Available on 50 meter reels, but any other length can be ordered starting from 1.5 meter.			
<i>Only available unterminated upon special request and after our liability disclaimer has been signed.</i> Price p/m:		79,50	
Special assembled "The MAINSSTREAM BS" cables1.5 meter, UK standard -> IEC connector:2.0 meter, UK standard -> IEC connector:2.5 meter, UK standard -> IEC connector:	Euro	379,00 417,00 455,00	

Powercords	Advisory
M.C. The MAINSSERVER HYBRID > Halogen Free < Made in EU VDE-RegNr. 7925 This 8.0 mm special quality powercable is the lower current (12 Amp.) version of our 20 Ampere The Mainsstream Hybrid (BS). With gold-coloured durable	retail price
HULLIFLEX®(*) jacket.Available on 50 meter reels, but any other length can be ordered starting from1.5 meter.Only available unterminated upon special request and after our liabilitydisclaimer has been signed.Euro	33,00
12 Ampere filtering power cord, 7 strands, shielded. Outer diameter 8mm. With gold-coloured durable HULLIFLEX $(*)$ jacket.	
1.5 meter, Schuko -> IEC connector:Euro2.0 meter, Schuko -> IEC connector:Euro2.5 meter, Schuko -> IEC connector:Euro	209,00
1.5 meter, UK -> IEC connector:Euro2.0 meter, UK -> IEC connector:Euro2.5 meter, UK -> IEC connector:Euro	213,50
1.5 meter, US standard -> IEC connector:Euro2.0 meter, US standard -> IEC connector:Euro2.5 meter, US standard -> IEC connector:Euro	234,00
1.5 meter, US Gold plated * audio grade -> IEC connector:Euro2.0 meter, US Gold plated * audio grade -> IEC connector:Euro2.5 meter, US Gold plated * audio grade -> IEC connector:Euro	463,00

Car HiFi		Ī	Advisory
Unless otherwise stated, price is per meter or unit.			retail price
Car hi-fi and general purpose interconnects.			
The BAY C5 HYBRID > Halogen Free < Made in EU High Quality coaxial Hybrid cable with L.S.C. coating, highly shielded ar mechanically very strong, 5.2mm diameter. To be used as interconnec amplifier or mixing console cable. With durable HULLIFLEX®(*) jacket. Available on wooden 200 meter reels.	t, internal	Euro	8,00
The D - 102 III HYBRID > Halogen Free < Made in EU Our m	ulti awaro	l winı	ner !!!
Excellent multi award winning balanced hybrid (metal and Linear Struct Carbon®) interconnect. With 4 gold-plated matt C - 7.3 (RCA) connected Neutrik silver plated XLR connectors. With characteristic yellow-orange HULLIFLEX®(*) jacket. To be used as single cable or as stereo pair.	cured ors or 4		
Available on 100 meter reels.	Price	Euro	22,00
The D - 102 V SPECIAL > Halogen Free < Made in EU Very fine, balanced interconnect for pre- to power-amp., CD to pre-amp hi-fi applications. With purple or blue durable HULLIFLEX®(*) jacket. Available on wooden 100 meter reels.	p and car Price	Euro	17,00
Car hi-fi loudspeaker cables			
The SKYLINE HYBRID > Halogen Free < Made in EU Flat twin-lead very pure copper and Lineair Structured Carbon® coated conductor flexible speaker cable (2x AWG 14). With sky-blue durable HULLIFLEX®(*) jacket. Usable connectors: B-122, BC-3 or D.I.Y. Availabe on wooden 100 meter reels.	l HYBRID Price p/m:	###	5,50
The SNOWLINE > Halogen Free < Made in EU <i>For many years already our best-selling budget-prized loudspet</i> Flat twin-lead very flexible (2x AWG 14) speaker cable with white durat HULLIFLEX®(*) jacket. The white jacket is made of HULLIFLEX®3, a s insulation material exhibiting a very good mechanical protection and a chemical stability. Usable connectors: B-122, BC-4.5 or D.I.Y. Available on wooden 50, 100 and 200 meter reels.	ole Superior		7,50
The GOLDWATER > Halogen Free < Made in EU Twin-lead (2x AWG 14) loudspeaker cable like the original CLEARWATE with a special gold coloured durable HULLIFLEX®(*) jacket which prov protection against ultraviolet (UV) sun light. Usable connectors: B-122, BC-3 or D.I.Y. Available on wooden 100 meter reels.	•	###	13,50
The CS - 122 HYBRID > Halogen Free < Made in EU: Our Mult Twin-lead version of the CS - 12 HF (2x AWG 12). Flat loudspeaker cab L.S.C.® saturated coating around the two dense silver coated very put conductors. With durable HULLIFLEX®(*) cream jacket with gold printi connectors: B-352, BC-3 or D.I.Y.	le, with a re copper		
Available on wooden 50 and 100 meter reels.	Price	###	18,50

	_	Sept 2015
Car HiFi		Advisory
Unless otherwise stated, price is per meter or unit.		retail price
The D - 352 HYBRID > Halogen Free < Made in EUHigh quality twin-lead (2x AWG 10) multistrand flat loudspeaker cable with aL.S.C.® saturated coating around the two heavy silver coated multistrand verypure copper conductors. With durable HULLIFLEX®(*) jacket, brown metalliccoloured with gold printing. Usable connectors: B-352, BC-4 or D.I.Y.Available on wooden 25 and 50 meter reels.Price p/m:	Euro	32,00
The MAGNUM HYBRID > Halogen Free < Made in EU Heavy, very high quality flexible flat twin-lead (2x AWG 8) loudspeaker cable with a L.S.C.® saturated coating around the two silver coated multistrand copper conductors. In a nice dark-red durable HULLIFLEX®(*) jacket. Usable connector: BC-5.	_	
Available on wooden 50 meter reels.Price p/m:	Euro	49,50
The NOVA > PVC Free < Made in EU A slightly thinner (17mm diameter) version of our prestigious loudspeakercable The SUPER NOVA. With the same deep red jacket, containing 4 x AWG 8 leads and an extra shield to avoid H.F. interference. Made for the very demanding car hifi specialist with a slightly limited budget who still wants the best. Price	Euro	296,00
Also available as mounted stereo pairs in any specified length starting		
from 1 meter, in the following combinations:		
• Stereo wiring (i.e. each cable 2 conn. at amp. side and 2 conn. at spkr. side)		
2.0 meter:	Euro	1684,00
2.5 meter:	Euro	1980,00
3.0 meter:	Euro	2276,00
• Bi-wiring (i.e. each cable 2 conn. at amp. side and 4 conn. at spkr. side)		
2.0 meter:	Euro	1934,00
2.5 meter:	Euro	2230,00
3.0 meter:	Euro	2526,00
• Bi-amping (i.e. each cable 4 conn. at amp. side and 4 conn. at spkr. side)	E	2104 00
2.0 meter:	Euro	2184,00 2480,00
2.5 meter:	Euro	2480,00
3.0 meter:	Euro	2770,00
Special car cable]	
	4	
HQ - 1 > Halogen Free < Made in EU Heavy duty PTFE insulated ignition cable for cars, motorcycles and outboard motors. Can handle even an 80 kV-peak. For extra power on high RPMs and improved durability.		
Available in any specified length from 1 meter. Price p/m:	###	100,50
		100,50
Connector program for car HiFi:		
Gold Plated Bus Connector with exchangable connection head Available with 3, 4, 5, 6.5, 8 or 10 mm cable entrance. Comes with heatshrink boot (red/blue) The spade and banana connectors are WBT binding post fitting.		
Gold plated Bus Connector with Spade:	###	17,50
Gold plated Bus Connector with Banana:		19,00
Gold plated Bus Connector Banana part:		12,00
Gold plated Bus Connector Spade part:	###	10,00
Heat-shrinkable VDH insulation sleeve set (1 red + 1 blue):	###	1,00

		Sept 201	5
Industrial cable products.		Advisory	
Unless otherwise stated, price is per meter or unit.	•	retail price	
Unhalaward annial anhlan	1		
Unbalanced coaxial cables:]		
The BAY C5 HYBRID > Halogen Free < Made in EU High Quality Hybrid coaxial cable with L.S.C., highly shielded and mechanically very strong, 5.2mm diameter cable. To be used as interconnect, internal amplifier or mixing console cable. With durable red HULLIFLEX®(*) jacket. Available on wooden 200 meter reels.	Euro	8,00	
The D - 300 III HYBRID> Halogen Free < Made in EUHigh quality coaxial Hybrid audio interlink with L.S.C. coating. In a metallicbrown coloured durable HULLIFLEX®(*) jacket.Available on wooden 100 meter reels.Price p/m:	Furo	8,00	
	Luio	0,00	
The D - 610> Halogen Free < Made in EUFlexible thin 50 Ohm Coaxial cable with a diameter of 2.6mm.Price p/m:	Euro	21,00	
Internal wiring:]		
	1		
CC - 18 > Metal Free & Halogen Free < Made in EU This is the first Metal Free Linear Structured Carbon® (LSC) single conductor in our program for internal amplifier connections. For soldering, our CC-1.0 clips are suitable. Durable HULLIFLEX®(*) jacket. Available from 1 meter. Price	Euro	48,00	
CS - 18 > Halogen Free < Made in EU18 Gauge heavy silver coated multi-strand high purity copper wire designed for amplifier and loudspeaker wiring with durable HULLIFLEX®(*) jacket. In the colours: black, brown, red, green, blue and white.Available on wooden 500 meter reels.Price p/m:	Euro	2,00	
CS - 16 > Halogen Free < Made in EU 16 Gauge heavy silver coated multi-strand high purity copper wire designed for amplifier, loudspeaker and loudspeaker rewiring cable with durable HULLIFLEX®(*) jacket. In the colours black, brown, red, orange, yellow, green, grey and white. Available on wooden 500 meter reels. Price p/m:	Euro	3,50	
CS - 14 > Halogen Free < Made in EU 14 Gauge heavy silver coated multi-strand high purity copper wire designed for amplifier, loudspeaker and loudspeaker rewiring cable with durable HULLIFLEX®(*) jacket. In the colours: black, brown, red, yellow and green. Available on wooden 250 meter reels. Price p/m:	Euro	4,50	
CS - 14 HYBRID > Halogen Free < Made in EU The Hybrid version of the CS-14. For improved smoothness with durable HULLIFLEX®(*) jacket. In black, red and blue.			
Available on wooden 250 meter reels.Price p/m:	Euro	7,00	
CS - 12 > Halogen Free < Made in EU Very flexible 12 Gauge heavy silver coated multi-strand high purity copper wire designed for amplifier, loudspeaker and loudspeaker rewiring cable with durable HULLIFLEX®(*) jacket. Popular among many well known loudspeaker manufacturers. Available on wooden 250 meter reels. Price p/mi	Furo	5,00	
	Luiu	5,00	

Industrial cable products.	ì	Advisory	Ŭ
Unless otherwise stated, price is per meter or unit.		retail price	
FT - 18 > Halogen Free < Made in EU The FT - 18 is an 18 gauge cable with 24 strands with our own Fusion Technology conductors: an amorphous alloy of Copper, Zinc and Silver. Especially designed for internal wiring of loudspeaker cabinets, amplifiers and as general purpose wiring in high quality equipment. Colours: red or black.	Euro	2,50	
FT - 16 > Halogen Free < Made in EU The FT - 16 is a 16 gauge cable with 63 strands cable with our own fusion based technology conductors. Especially designed for internal wiring of loudspeaker cabinets, amplifiers and as general purpose wiring in high quality equipment. The 63 strands give this cable a high flexibility; very helpful in difficult mounting situations. Its 63 strands are made of our Fusion material. Colours: red or black. Price p/m:		5,00	
FT - 12 > Halogen Free < Made in EU The FT - 12 is a 12 gauge 147 strand cable with our own fusion based technology conductors. Especially designed for industrial purposes. Its extreme flexibility compared to the regular available 12 gauge constructions is a great advantage in many applications. The FT - 12 has been specially designed for use in high current applications in difficult situations like narrow spaced loudspeaker enclosures and power lines in mixing consoles and amplifiers. Sonically a very superior conductor: very smooth and detailed. Colours: red or black. Price	Euro	6,00	
The D - 101 > Halogen Free < Made in EU and very pure silver coated high quality O.F.Copper and a high density P.E. insulation jacket. Available on wooden 100 meter reels. Price p/m:	Euro	5,00	
The WIND Mk II HYBRID > Halogen Free < Made in EU Very high quality multistrand single lead (AWG 10.5) loudspeaker cable with Multi Conductor Construction (MCC) and a L.S.C.® saturated coating. In peach coloured durable HULLIFLEX®(*) jacket with black printing. Usable connectors: B-122 or BC-6.5. Available on wooden 100 meter reels. Price p/m:	Euro	26,50	
The MCS - 1000 > Halogen Free < Made in EUThis single pure silver conductor is made on request of a well known loudspeaker manufacturer who applied silver in all the internal wiring (connections and cross- over coils). Our company was invited to supply all. Limited stock of the 1mm diameter internal connection and crossover coil wire is available now for the dedicated audiophile.		64,50	
SCS - 28 M> PVC Free < Made in EUVery high quality 28 Gauge, 7 strand amplifier and printed circuit board interconnect with yellow PTFE insulation.Available on 100 meter reels and in any specified length.Price	Euro	2,50	
SCS - 18 > PVC Free < Made in EU Very high quality heavy silver coated extreme pure copper 18 Gauge amplifier and loudspeaker wire with PTFE insulation. Available in black, brown, red, green, blue or white on 100 meter and 250 meter reels and in any specified length. Price p/m:	Euro	14,50	

	Sept 201
Industrial cable products.	Advisory
Unless otherwise stated, price is per meter or unit.	retail price
SCS - 16> PVC Free < Made in EUVery high quality heavy silver coated extreme pure copper 16 Gauge amplifier and loudspeaker wire with PTFE insulation. Also very useful for tube-amplifier (re-)wiring.Available in black, brown, red, yellow, green or white on 100 meter and 250 meter reels and in any specified length.Price p/m: Euro	17,50
SCS - 12 > PVC Free < Made in EU Very high quality heavy silver coated extreme pure copper 11 Gauge very high quality amplifier and loudspeaker interconnect. Also very useful for tube-amplifier (re-)wiring. PTFE insulated.	
Available in black, brown, red, orange, yellow, green, blue, purple or white on100 meter reels and in any specified length.Price p/m: Euro	24,00
SCS - 6> PVC Free < Made in EUVery high quality heavy silver coated extreme pure copper 6 Gauge (13.2 mm² conductor surface) loudspeaker cable PTFE insulated. The colour is cream. Usable connector: BC - 8.3. One set contains 4 leads and 8 connectors. Available on 100 meter reels and in any specified length.Price p/m: Euro	94,00
SCS - 4> PVC Free < Made in EUVery high quality heavy silver coated extreme pure copper 4 Gauge (22.1mm² conductor surface) loudspeaker cable PTFE insulated. Usable connector: BC-8.0.One set contains 4 leads and 8 connectors. The colour is cream. Available on 50 meter reels and in any specified length.Price p/m: Euro	162,50
Microphone cables:	
The MIC HYBRID> Halogen Free < Made in EUBlue coloured, 3 conductor and triple shielded, Kevlar reinforced microphonecable with durable HULLIFLEX®(*) jacket. Low capacitance.Available on wooden 100 meter reels.Price p/m: Euro	17,00
The MIC Highflex HYBRID> Halogen Free < Made in EUDark blue coloured, 3 conductor, double shielded and Kevlar reinforced, veryflexible microphone cable. With special durable jacket.Available on wooden 100 meter reels.Price p/m: Euro	17,00
3T The MIC 2 > Halogen Free < Made in EUBrown coloured, two 3T conductors and double shielded, Kevlar reinforcedmicrophone cable with durable HULLIFLEX®(*) jacket. Low capacitance.Available on wooden 100 meter reels.Price p/m: Euro	88,50
3T The MIC 3 > Halogen Free < Made in EUViolet coloured, three 3T conductors, double shielded and Kevlar reinforcedmicrophone cable. With durable HULLIFLEX®(*) jacket.Available on wooden 100 meter reels.Price p/m: Euro	111,00

Industrial cable products.		Advisory
Unless otherwise stated, price is per meter or unit.		retail price
The BIG MIC > Halogen Free < Made in EU Consisting of eight groups of The MIC HYBRID (together 24 individually insulat lines). Each group is double shielded, individually insulated by polyester films and identified with polyester numbertapes. The outer diameter is 16.5 mm. Wi very durable blue HULLIFLEX®(*) jacket.		
Available in any specified length. Price	Euro	164,50

Connector average	1	
Connector program Unless otherwise stated, price is per meter or unit.	ļ	Advisory retail price
onics otherwise stated, price is per meter of unit.		
Mounting costs including the BERRI bus connector per connection: BERRI Bus connector on The Nova and The Super Nova. BERRI Bus connector on any single-lead speaker cable and The Inspiration. BERRI Bus connector on any other multi-lead speaker cable.	Euro Euro Euro	
XLR, RCA or BNC (mounting only!).	Euro	11,00
CC - 1.0	Euro	1,50
CC - 1.2 Gold-plated headshell wire connecting clip for cartridges with 1.2mm connecting pins (the standard dimension).	Euro	2,00
C - 4.0	Euro	13,00
RCA type connector with 4.0mm diameter cable opening, made for the D-501 Hybrid, our D-501 Silver Hybrid, D-502 Hybrid, The COMPOLINE, The ISIS, The THAMES and the VIDEOLINE 75. This connector is made from the best materials with a phosphor bronze centre pin with dense gold plating and internal Teflon insulation ring. Outer colour: gold with red and blue coloured marker.	Luio	13,00
C - 5.5 RCA type connector with 5.5mm diameter cable opening, made for the MC - Silver IT 65 G, D - 300 III Hybrid, The BAY C5 Hybrid and The Mini Sub Hybrid. This connector is made from the best materials with a phosphor bronze center pin with dense gold plating and internal Teflon insulation ring. Outer colour: gold with red and blue coloured marker.	Euro	13,50
C - 7.3	Funa	16 50
RCA type connector with 7.3mm diameter cable opening, made for the D - 102 III Hybrid, D - 102 V Special, VIDEOLINK 75, MC - Gold Hybrid, MC - Silver IT MkII 75 Ohm, The FIRST® Ultimate, MC - Silver IT MkII Coaxial, The COMPOLINK The WATERFALL Hybrid, The WAVE, The TIDE, The MC-Silver IT MkIII and The SECOND®.	Euro	16,50
This connector is made from the best materials with a phosphor bronze centre pin with dense gold plating and internal Teflon insulation ring. Outer colours: gold or white with red and blue coloured marker.		
C - 8.0	F	10.00
RCA type connector with 8.0mm diameter cable opening, made for The First® Ultimate, The First® Metal Screen and The Integration Hybrid This connector is made from the best materials with a phosphor bronze centre pin with dense gold plating and internal Teflon insulation ring. Outer colour: gold with red and blue coloured marker.	Euro	18,00
C - 8.4	_	
RCA type connector with 8.4mm diameter cable opening, made for The Digi- Coupler 75 ohm, The WELL Hybrid The SUB Hybrid and The SURF. This connector is made from the best materials with a phosphor bronze centre pin with dense gold plating and internal Teflon insulation ring. Outer colour: gold.	Euro	18,50

Connector program		Advisory
Unless otherwise stated, price is per meter or unit.		retail price
C - 9.0 RCA type connector with 9.0mm diameter cable opening, made for The Triaxial Professional 75 Ohm. This connector is made from the best materials with a	Euro	19,00
phosphor bronze centre pin with dense gold plating and internal Teflon insulation ring. Outer colour: with red and blue coloured marker gold.	Euro	21,00
RCA type connector with 12.0mm diameter cable opening, made for The INSPIRATION Hybrid (when used as an interconnect). This connector is made from the best materials with a phosphor bronze centre with dense gold plating and internal Teflon insulation ring. Outer colour: gold with red and blue coloured marker.		
The TAC in two versions	Euro	44,00
5-contact gold-plated connector for tonearms. Specially made for our D - 501 Hybrid, D - 501 Silver Hybrid, D - 502 Hybrid, THAMES and ISIS cable. Available in a 90° angled and a straight version. Black colour.	Luio	1,,00
BNC male connector	Euro	23,00
24 carat gold plated, with internal teflon insulation. 75 Ohm impedance. Designed for professional coaxial HF connections. Available with red, blue, green, black or white band. Available for 4, 7 and 9 mm cable diameters.	Luio	23,00
DIY Spade connector (4 units per package)	Euro	31,00
To make fast and secure spade connections with our loudspeaker cables, the regular soldering takes its time. Just strip your loudspeaker cable for 14mm, fold back and screw-on. Strain relief and secured connections are the result. 4 screw-on DIY Spades are blister packed in one package for your ultimate convenience.		51,00
DIY Banana connector (4 units per package) To make fast and secure Banana connections with our loudspeaker cables, the regular soldering takes its time. Just strip your loudspeaker cable for 14mm, fold back and screw-on. Strain relief and secured connections are the result. 4 screw-on DIY Spades are blister packed in one package for your ultimate convenience.	Euro	31,00
Gold Plated Bus Connector with exchangable connection head Available with 3, 4, 5, 6.5, 8 or 10 mm cable entrance. Comes with heatshrink		
boot (red/blue) The spade and banana connectors are WBT binding post fitting.	Euro	7.00
Gold plated Bus Connector base part:	Euro	7,00 12,00
Gold plated Bus Connector Spade part: Heat-shrinkable VDH insulation sleeve set (1 red + 1 blue):		10,00 1,00
Gold plated Bus Connector with Spade: Gold plated Bus Connector with Banana:		17,50 19,00

Connector program		Advisory
Unless otherwise stated, price is per meter or unit.		retail price
BERRI Bus Connector with exchangable connection head New improved version of the regular non-insulated Bus Connector. Available with 4.5, 6.5, 8.3, 10 and 13.2mm cable entrance. The spade and banana connectors are WBT binding post fitting. No heat-shrinkable sleeve set needed. Available in red and blue. To find out which BERRI-connector fits with which cable, please consult page 63. BERRI Bus Connector with Spade: BERRI Bus Connector with Banana: BERRI Bus Connector base part:	Euro Euro	21,00 23,00 9,00
BERRI Bus Connector Banana part: BERRI Bus Connector Spade part:		13,50 12,00
B - 122 (available as long as stock allows) Gold-plated banana connector for our The Royal JADE Hybrid, CS - 122 Hybrid, The TEATRACK Hybrid, The WIND Mk II Hybrid, and SCS - 6, but also fits: The CLEARWATER, The GOLDWATER, The CLEARTRACK and The SKYLINE Hybrid, black colour with polarity marker ring.	Euro	27,50
B - 352 (available as long as stock allows) Gold-plated banana connector for the D - 352 Hybrid, The INSPIRATION Hybrid, SCS - 4 and The REVOLUTION Hybrid. Improved version, black colour with polarity marker ring.	Euro	27,50
Neutrik XLR connectors: For the XLR / Canon type of connections we equip our custom length made or standard box packed balanced cables with these XLR connectors. We exclusively use the highest quality Neutrik brand black body 3-pole in-line connectors with silver contact pins; a world-wide professional standard. Black die cast metal handle with chuck type strain relief cable clamp. On stock type numbers are:		
NC3 MX-B (male, with gold plated contact pins): NC3 FX-B (female, with gold plated contact pins): NC3MXX (male, with silver plated contact pins): NC3FXX (female, with silver plated contact pins):	Euro Euro	16,50 17,50 16,50 17,50
Special version of the 3-pole XLR connectors for digital purposes. With gold plated contact pins. For highly efficient and reliable connections. NC3 MX-CC (male): NC3 FX-CC (female):		22,00 29,50
Neutrik Bantam (TT) connectors Gold-plated Neutrik 4.4 mm., 3-pole Bantam / "Tiny-Telephone" plugs. The Neutrik type numbers in stock NP3 TT-1-R (red body) and NP3 TT-1-B (black body) Available: per unit or mounted to your specifications on our The BAY C5 HYBRID	Euro	22,00
and The MINI SUB Hybrid cables.		

Commonstant and announced		
Connector program		Advisory
Unless otherwise stated, price is per meter or unit.		retail price
Neutrik ¼" jack/phone connectors:		
Highest quality Neutrik brand gold-plated black body in-line male connectors.		
Black die cast metal handle with chuck type strain relief cable clamp.		
Available: per unit or mounted to your specifications on:		
*1: our microphone and musical instrument cables as well as on		
most of our other unbalanced and balanced cable types.		
*2: most of our balanced cable types. The Neutrik type numbers in stock are:		
	Fura	12 50
*1: NP 2C-BAG (2-pole/mono) *2: NP 3C-BAG (3-pole/stereo)		12,50 18,50
2. NP SC-DAG (S-pole/steleo)	Luio	10,50
RCA type panel socket		
Gold plated female RCA chassispart with internal telfon insulator and telfon		
isolator rings for the chassis. Mounting hole diameter: 10mm. Available with red		
or black coloured ring.	Euro	4,50
AC power connectors for our MAINSSTREAM series power cables		
Light grey European Schuko connector (The outer body material will not affect		
the	Euro	
BS version, light grey, brass pins:	Euro	
IEC connector for the Mainsserver:		
IEC connector for the Mainsserver (90 degree version):	Euro	
S-VHS connector		
4 pins, gold-plated white metal case with a red band.		
8.0mm cable opening. Made for our S - VHS - 2 -75 cable.	Euro	16,50
SCART connector		
Elegant metal cobalt blue coloured shielded male SCART connector. Cable	Fura	21.00
entrance diameter: 11.5 to 12.7mm.	Euro	31,00
The HDMI REPEATER (incl. powersupply for extra amplification)		
EU:	Euro	69,00
	F ure	60.00
USA: UK:	Euro Euro	69,00 69,00

Electronics

Advisory

		retail price
The BLACK HOLE Made in EU The van den Hul BLACK HOLE is an innovative and advanced four outlet passive mains filter, which core design is based on entirely new technology and concepts. It provides high-end audio, video and mixed setups with perfectly clean mains power, is capable of handling up to 1800 Watt total connected load and is equipped with four individually noise-insulated outlets.	Euro	2600,00
The WHITE DWARF Made in EU The WHITE DWARF is a small though sophisticated single outlet mains filter specially intended for (low power) A/V equipment with a current consumption of up to 2 Amperes. It removes mains noise. Using a WHITE DWARF in front of each device in your A/V setup provides markedly improved transparency, definition, detail and dynamics.	Euro	198,50
The BLEEP Made in EU A Radio Frequency (RF-)emission detector with adjustable sensitivity. It will immediately show the good screening of all our Mains products. The BLEEP DAAS Made in EU	Euro	65,00
There is also a version of the BLEEP with a DAAS® output so that you can even see on the computer screen where the noise comes from and what it looks like. The ideal instrument for setting up equipment and finding hidden emission sources.	Euro	78,00
Phono electronics: The GRAIL PHONO AMP Made in EU]	
The Grail is a really dulcet phonograph preamplifier, specifically designed bearing ultimate performance and reliability in mind. With improved power supply. The GRAIL PHONO AMP	Euro	6630,00
The GRAIL SB is a really dulcet phonograph preamplifier, specifically designed bearing ultimate performance and reliability in mind. It is a balanced version of The Grail, including 2 complete printed circuits and an electronic battery power source simulation, featering XLR-input connectors. The GRAIL SB PHONO AMP	Euro	13000,00

Advisory retail price

Electronics

Amplifier electronics:

The EMERALD PRE-AMP Made in EU

The EMERALD PRE-AMP Made in EU			
The Emerald balanced preamplifier is the next logic step after the intr The Grail SB.	roduction of		
We have used the same design ideas from our Grail SB, a remote cor the design and the housing is made of thick steel.	ntrol is part of		
Specifically, the very natural and specific spacious sound is a benchm Emerald. The very high resolution in combination with the natural dyn replay is another remarkable property.			
The EMERALD PRE-AMP		Euro	13000,00
The EXCALIBUR MONO POWER-AMP Made in EU The completing item in our electronic equipment range: our Power-ar	mnlifier is		
available now.			
The 26kg housing is the same as used in The Grail SB and The Emera XLR connection is provided to link through to another Excalibur in cas work Bi-Amped. The power voltage needs to be specified: 120 Volt or	se you like to		
Available in white with dark-red side panels or as a black version with side panels. And in case you want Ferrari red housing: we will supply specification with an adjusted price.	-		
The EXCALIBUR MONO POWER-AMP Pr	rice per unit:	Euro	9750,00

Miscellaneous	1	Advisory
	4	retail price
The LINK		
Many amplifiers and A/V Receivers are equipped with a separate pre- and power amplifier part because of the extra opportunities such a separation offers, such as connecting a subwoofer or extra amplifiers. Connect those parts with The Link and you will immediately hear sound improvement. The sound reproduction will spectacularly gain air, detail and dynamic. Length 15 cm, colour red. Terminated with 4 gold-plated C-4.0 (RCA) connectors.	Euro	51,50
The POLARITY CHECKER		
Helps to enhance your audio system's resolution by minimising its residual ground currents. Supplied with English, German or Dutch operating manual.	Euro	28,00
The SOLUTION - Made in EU		
This contact fluid is a very stable, completely non-chemically active product that protects the metal of connectors or cable for a long period against chemical deterioration. Supplied in 30cc bottle with brush.	Euro	37,50
The Turntable Spindle Oil - Made in EU		
Special oil as explained on our website section F.A.Q. Supplied in a 25cc bottle with brush.	Euro	23,00
The T.L.F. OIL I and II - Made in EU		
Your turntable and also other moving components need perfect oil to maintain a high reliability. Our T.L.F. is the right oil for this demanding job: no oxidation, very low surface tension (1/4 of water), very strong binding with the underlying surface and ultra thin coating (just nanometers thick). Surface friction of moving parts in contact with each other is dramatically reduced (even in your car). As a general purpose low friction lubricant T.L.F. I is most suited. For heavy duty applications we advise T.L.F. II.		
Supplied in 30cc bottle with brush.	Euro	40,50
The T.L.F. OIL II and The Solution - Made in EU		
Together in transparent box.	Euro	73,50
Pss Pss reconditioning spray - Made in EU Aerosol contained spray which cleans oxidized contacts and also loosens and removes the film that is often composed by microscopic particles which have been transported by the polluted air surrounding the equipment or objects. The spray not only cleans but also protects the cleaned parts afterwards. <i>Only available for shipment by truck due to security regulations.</i> Packed and shipped in boxes containing 12 spray cans. Price per can:	Euro	18,00
Quality Solder - Made in EU		
A standard Sn60/Pb40 alloy resin flux core soft solder wire type for soldering in all electronic applications. $Ø=1.5$ mm. Sales unit: 1 kg spool. Price per kg:	Euro	157,00
LEAD-FREE Silver Solder - Made in EU The strict order in the EU to work without any lead containing solder for environmental reasons combined with our ideas about improved metal technology are the basis for this product: the Sn95 / Ag5 Lead free Silver Solder. Direct sound quality comparisons between the two types of solder showed imediately the higher quality of our Lead-Free Silver Solder.		
The actual silver content is 4.5%. Price per kg:	Euro	351,50

	1	
Miscellaneous		Advisory
	-	retail price
Health Ring		
Very innovative ring to improve the physical condition of e.g. a whiplash patient.		
Works also very well as an acoustic conditioner. Read for further information the	_	
explanatory article on our website.	Euro	100,50
Promotional materials		
	•	
Plexiglass Display Units - Made in EU		
Two separate boxes to be combined as one display stand. A good looking		
transparent cable display for our blisters and reels in shops and on exhibitions. Fullsize version:	Euro	
2/3 size version:	Euro	
_,	-4.0	
Sample boxes - Made in EU		
Luxurious wooden box containing stripped pieces of cable.	F	
Sample box interconnects: Sample box loudspeaker:	Euro Euro	
Sample box professional:	Euro	
Sample box audio-video:	Euro	
Sample box 3T:	Euro	
Also available with custom-selected content.		
Demo cases - Made in EU		
Aluminium covered case containing several mounted cables for try-outs at your		
customers place.		
Case A: Demo case interconnects Novice:	Euro	
Case B: Demo case interconnects Advanced: Case C: Demo case loudspeaker Starter:	Euro Euro	
Case D: Demo case loudspeaker Experienced:	Euro	
Case E: Demo case Audio-Video:	Euro	
Brochures		

CD recordings **Advisory** retail price **Regular CD recordings:** Price per CD...... Euro 17,50 Price per outer box (contains 25 CD's) at Euro at providing high resolution reference quality recordings of great music; Recordings using a very natural and minimal recording approach and made with the very best equipment availabe, including our Linear Structured Carbon® cables for all connections. All CD's have been recorded live to two-track using DCS 96kHz/24-bit technology and form excellent reference and demonstration material. Four of a kind: For the time being:..... This CD is recorded in cooperation with two musicians from Italy: Dado Moroni - piano and Rosario Bonacorso - contrabass. This resulted in a full swing of sound, where especially the numbers Poinciana, Monty's Wave and Lime House Blues are outstanding samples of a perfect balance between the music and the acoustics with a lot of detail. Order code: VDH99CR01 Jeroen de Rijk & friends: Central Heating:..... The purpose of this CD was to record the balance in music and acoustics between Jeroen de Rijk - Percussionist and ten of his best friends, each of them performing on another instrument. Especially the performance of the numbers Masquerade, Self-portrait and Tarmac are perfect examples of a good balance between music and acoustics. They can be used as excellent demo numbers for critical listeners to evaluate their hi-fi system. Order code: VDH99CR02 Louis van Dijk: Family and friends:..... A recording made in cooperation with Louis van Dijk and Selma van Dijk. Father Louis supports daughter Selma in a large variety of styles and numbers like the very delicate Sweet William and Burjazzque. Music for the dedicated and also for the technical listeners. Order code: VDH99CR03 Louis van Dijk: I could have danced all night:..... Louis at his best with music he hasn't played for years. For those who also intend to use this CD as a test-medium, all numbers are suitable suitable toppers. Great acoustics and even better music. Order code: VDH99CR04 A Sound Impression: Sampler:..... Contains two tracks from each CD within our first release. Order code: VDH99CR05 Resonans Quartet : 4 Marimba's On this CD the Marimba, supplemented with other melodious instruments of percussion, as the vibraphone and the xylophone, is used by the Resonans Quartet to perform varied music.

CD recordings	Advisory
	retail price
Frits Landesbergen Big Band: The Old Fashioned Way	17,50
Lils Mackintosh: 40 Years On Stage Euro Diva Lils is one of the leading ladies in the jazz scene and played with many of the great jazz musicians like Oscar Peterson, B.B. King and Candy Dulfer. This cd has been recorderded with 3T cables. The result is more definition, better dynamics and detailed and defined instruments in an amazing sound image.	18,75
Super Audio CD recordings:	
Lavinia Meijer: Fantasies & Impromptus. Euro Beautiful and restful harpmusic from different composers, played by classical stage star and internationally performing Lavinia Meijer. This is the very first cd recorder with equipment fully wired with our 3T cables. The sound quality is impressive and incredibly spacious. <i>This SACD was rewarded with the prestigious</i> <i>Dutch Edison-award 2012 for most popular classical recording.</i>	17,50
Serena: Dances of the Dolls. Music for children can be of two kinds. It may be intended for children to play or for children to hear. Both kinds of music are characterized generally by brevity and ease of comprehension, and often by characteristic titles related to faily tales or songs. This cd offers old and new examples of this tradition, performed by Serena Wang, the most conspicuous music prodigy under the direct tutorship of well-known and highly respected piano teacher Professor Dan Zhao Yi.	17,50
Other recordings: price per CD Euro Price per outer box (contains 25 CD's) at EUR. 9,68 / CD Euro	24,95
Super Audio sampler CD Euro	18,75
Our Hybrid Super Audio CD's. Excellent quality recording with Van den Hul microphone cables and digital interconnects. These CD's contain the regular stereo CD layer, the stereo Super Audio layer and the 5 channel Super Audio layer.	
For information about available titles, we refer to the websites of Channel Classics (www.channelclassics.com) and PentaTone (www.pentatonemusic.com).	
Regular LP recordings:	
Price per LP Euro	29,50
A Tribute To Analog: Beets Brothers, Lils Mackintosh, Hans Dulfer This very special LP is a reference quality analogue recording, made as a tribute to analog. Excellently suited to demonstrate our top level phono cartridges' qualities, the life material was recorded with Mr. Hans Dulfer, one of the most famous Dutch saxophone players, Lils Mackintosh, a well-known solo singer on many festivals and last but not least: The Beets Brothers.	

Which cable goes with which size BERRI Busconnector?

Description	Size
Breeze Hybrid	8,3mm
Clearline	4,5mm
Cleartrack	4,5mm
Clearwater	4,5mm
CS-122 Hybrid cream	6,5mm
Twin	4,5mm
D 352 Hybrid	8,3mm
Goldwater	6,5mm
Magnum hybrid	8,3mm
Revelation Hybrid	13,2mm
Revolution Hybrid	8,3mm
SCS-2	10,0mm
SCS- 4	8,3mm
SCS- 6	8,3mm
Skyline Hybrid	4,5mm
Skytrack Hybrid	4,5mm
Snowline	4,5mm
Snowtrack	4,5mm
Teatrack Hybrid	6,5mm
Wind Hybrid	6,5mm
Twin RED	4,5mm

Inspiration	Туре
8 x 8,3mm	Normal
4 x 8,3mm 8 x 4,5mm	Bi-Wire
16 x 4,5mm	Bi-Amp

SUPER NOVA	Туре
8 x 20,0mm	Normal
4 x 20,0mm - 8 x 8,3mm	Bi-Wire
16 x 8,3mm	Bi-Amp

NOVA	Туре
8 x 13,2mm	Normal
4 x 13,2mm - 8 x 8,3mm	Bi-Wire
16 x 8,3mm	Bi-Amp

AWG Chart.

Please note:

- The diameters and cross-section areas indicated below are the effective figures as were the conductor a solid rod.
- \bullet Resistances indicated are according to the International Annealed Copper Standard (IACS) at 20 °C. = 68 °F.
- For most Oxygen free Copper (OFC) types the resistances indicated are accurate to a few percent.

AWG Number	Ø [Inch]	Ø[mm]	Ø [mm²]	Resistance [Ohm/m]
0000	0.460	11,7	107	0,000161
000	0.410	10,4	85.0	0,000203
00	0,365	9,26	67,4	0,000256
0	0,325	8,25	53,5	0,000323
1	0,289	7,35	42,4	0,000407
2	0,258	6,54	33,6	0,000513
3	0,229	5,83	26,7	0,000647
4	0,204	5,19	21,1	0,000815
5	0,182	4,62	16,8	0,00103
6	0,162	4,11	13,3	0.00130
7	0,144	3,66	10,5	0,00163
8	0,128	3,26	8,36	0,00206
9	0,114	2,91	6,63	0.00260
AWG Number		Ø [mm]		Resistance [Ohm/m]
10	0,102	2,59	5,26	0,00328
11	0,0907	2.30	4,17	0,00413
12	0,0808	2,05	3,31	0,00521
13	0.0720	1,83	2,62	0,00657
14	0,0641	1,63	2,08	0,00829
15	0,0571	1,45	1,65	0,0104
16	0,0508	1,29	1,31	0,0132
17	0,0453	1,15	1,04	0,0166
18	0,0403	1,02	0,823	0.0210
19	0,0359	0,912	0,653	0,0264
AWG Number	Ø [Inch]	Ø [mm]	Ø [mm²]	Resistance [Ohm/m]
20	0.0320	0,812	0,518	0,0333
21	0,0285	0,723	0.410	0.0420
22	0,0253	0,644	0,326	0.0530
	0.0000	0 572	0,258	0.0000
23	0,0226	0,573	0,230	0,0668
24	0,0226	0,511	0,205	0,0842
				0,0842 0,106
24 25 26	0,0201	0,511 0,455 0,405	0,205	0,0842 0,106 0,134
24 25	0,0201 0,0179 0,0159 0,0142	0,511 0,455 0,405 0,361	0,205 0,162 0,129 0,102	0,0842 0,106 0,134 0,169
24 25 26 27 28	0,0201 0,0179 0,0159 0,0142 0,0126	0,511 0,455 0,405 0,361 0,321	0,205 0,162 0,129 0,102 0.0810	0,0842 0,106 0,134 0,169 0,213
24 25 26 27 28 29	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113	0,511 0,455 0,405 0,361 0,321 0,286	0,205 0,162 0,129 0,102 0.0810 0,0642	0,0842 0,106 0,134 0,169 0,213 0,268
24 25 26 27 28 29 AWG Number	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113	0,511 0,455 0,405 0,361 0,321 0,286	0,205 0,162 0,129 0,102 0.0810 0,0642	0,0842 0,106 0,134 0,169 0,213 0,268 Resistance [Ohm/m]
24 25 26 27 28 29 AWG Number 30	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113	0,511 0,455 0,405 0,361 0,321 0,286	0,205 0,162 0,129 0,102 0.0810 0,0642	0,0842 0,106 0,134 0,169 0,213 0,268 Resistance [Ohm/m] 0,339
24 25 26 27 28 29 AWG Number 30 31	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113 Ø [Inch] 0.0100 0,00893	0,511 0,455 0,405 0,361 0,321 0,286 Ø [mm] 0,255 0,227	0,205 0,162 0,129 0,102 0.0810 0,0642 Ø [mm²] 0,0509 0,0404	0,0842 0,106 0,134 0,169 0,213 0,268 Resistance [Ohm/m] 0,339 0,427
24 25 26 27 28 29 AWG Number 30 31 32	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113 Ø [Inch] 0.0100 0,00893 0,00795	0,511 0,455 0,405 0,361 0,286 Ø[mm] 0,255 0,227 0,202	0,205 0,162 0,129 0,102 0,0810 0,0642 Ø [mm²] 0,0509 0,0404 0.0320	0,0842 0,106 0,134 0,169 0,213 0,268 Resistance [Ohm/m] 0,339 0,427 0,538
24 25 26 27 28 29 AWG Number 30 31 32 33	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113 Ø [Inch] 0.0100 0,00893 0,00795 0,00708	0,511 0,455 0,405 0,361 0,286 Ø[mm] 0,255 0,227 0,202 0,180	0,205 0,162 0,129 0,102 0,0810 0,0642 Ø[mm ²] 0,0509 0,0404 0.0320 0,0254	0,0842 0,106 0,134 0,169 0,213 0,268 Resistance [Ohm/m] 0,339 0,427 0,538 0,679
24 25 26 27 28 29 AWG Number 30 31 32 33 33 34	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113 Ø[Inch] 0,0100 0,00893 0,00795 0,00708 0,00631	0,511 0,455 0,405 0,361 0,286 Ø [mm] 0,255 0,227 0,202 0.180 0.160	0,205 0,162 0,129 0,102 0,0810 0,0642 Ø [mm²] 0,0509 0,0404 0.0320 0,0254 0,0201	0,0842 0,106 0,134 0,169 0,213 0,268 Resistance [Ohm/m] 0,339 0,427 0,538 0,679 0,856
24 25 26 27 28 29 AWG Number 30 31 32 33 33 34 35	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113 Ø[Inch] 0,0100 0,00893 0,00795 0,00708 0,00631 0,00562	0,511 0,455 0,405 0,361 0,286 Ø [mm] 0,255 0,227 0,202 0,180 0.160 0,143	0,205 0,162 0,129 0,102 0,0810 0,0642 Ø [mm²] 0,0509 0,0404 0,0320 0,0254 0,0254 0,0201 0.0160	0,0842 0,106 0,134 0,169 0,213 0,268 Resistance [Ohm/m] 0,339 0,427 0,538 0,679 0,856 1,08
24 25 26 27 28 29 AWG Number 30 31 32 33 33 34 35 36	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113 Ø [Inch] 0,0100 0,00893 0,00795 0,00708 0,00708 0,00631 0,00562 0.00500	0,511 0,455 0,405 0,361 0,286 Ø [mm] 0,255 0,227 0,202 0,180 0.160 0,143 0,127	0,205 0,162 0,129 0,102 0,0810 0,0642 Ø [mm²] 0,0509 0,0404 0,0254 0,0254 0,0254 0,0201 0,0160 0,0127	0,0842 0,106 0,134 0,169 0,213 0,268 Resistance [Ohm/m] 0,339 0,427 0,538 0,679 0,856 1,08 1,36
24 25 26 27 28 29 AWG Number 30 31 32 33 33 34 35 36 37	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113 Ø[Inch] 0.0100 0,00893 0,00795 0,00708 0,00631 0,00562 0.00500 0,00445	0,511 0,455 0,405 0,361 0,286 Ø[mm] 0,255 0,227 0,202 0,180 0,160 0,143 0,127 0,113	0,205 0,162 0,129 0,0810 0,0642 Ø[mm ²] 0,0509 0,0404 0.0320 0,0254 0,0201 0.0160 0,0127 0.0100	0,0842 0,106 0,134 0,169 0,213 0,268 Resistance [Ohm/m] 0,339 0,427 0,538 0,679 0,856 1,08 1,36 1,72
24 25 26 27 28 29 AWG Number 30 31 32 33 34 35 36 37 38	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113 Ø[Inch] 0,00893 0,00795 0,00708 0,00795 0,00708 0,00631 0,00562 0,00500 0,00445 0,00397	0,511 0,455 0,405 0,361 0,286 Ø [mm] 0,255 0,227 0,202 0,180 0,160 0,143 0,127 0,113 0,101	0,205 0,162 0,129 0,102 0,0810 0,0642 Ø [mm²] 0,0509 0,0404 0,0320 0,0254 0,0201 0,0127 0,0100 0,00797	0,0842 0,106 0,134 0,169 0,213 0,268 Resistance [Ohm/m] 0,339 0,427 0,538 0,679 0,856 1,08 1,36 1,72 2,16
24 25 26 27 28 29 AWG Number 30 31 32 33 33 34 35 36 37	0,0201 0,0179 0,0159 0,0142 0,0126 0,0113 Ø[Inch] 0.0100 0,00893 0,00795 0,00708 0,00631 0,00562 0.00500 0,00445	0,511 0,455 0,405 0,361 0,286 Ø[mm] 0,255 0,227 0,202 0,180 0,160 0,143 0,127 0,113	0,205 0,162 0,129 0,0810 0,0642 Ø[mm ²] 0,0509 0,0404 0.0320 0,0254 0,0201 0.0160 0,0127 0.0100	0,0842 0,106 0,134 0,169 0,213 0,268 Resistance [Ohm/m] 0,339 0,427 0,538 0,679 0,856 1,08 1,36 1,72