

## STEALTH Audio Cables

Eur

Analog Interconnects RCA / XLR			0.6 m	0.75 m	1 m	1.5 m	2 m	Každý ďalší meter Eur
Väčšina modelov Na Sklade - NS								
<b>Šakra V17 Limited Edition NS</b>	RCA	n/a	n/a	20 700	26 500	32 400	11 700	
Dvojcestný Vari-Cross amorphous wire in Helium, Konštrukcia a materiály bez finanč. limitu, STEALTH custom RCA a XLR	XLR	n/a	n/a	27 600	32 000	42 450	14 850	
<b>Šakra V16 NS</b>	RCA	n/a	n/a	13 800	17 700	21 600	7 800	
Vari-Cross amorphous wire in Helium, Vylepšená verzia Šakra V 12 , STEALTH custom RCA a XLR	XLR	n/a	n/a	18 400	23 400	28 300	9 900	
<b>Šakra V12 Posledný pár XLR 1m NS</b>								
Vari-Cross amorphous-in-Helium, our flagship interconnect STEALTH custom XLR	XLR			16 000				
<b>Tantalus Dostupný od 2/2023</b>	RCA	n/a	n/a	12 000	15 800	19 600	7 600	
Novinka 4/2022 Interconnect STEALTH cable RCA a XLR	XLR	n/a	n/a	16 000	20 800	25 600	9 500	
<b>Indra V18 Novinka - na sklade</b>	RCA	n/a	7 300	9 250	11 200	15 750	6 500	
STEALTH custom RCA a XLR, s podobným zvukovým charakterom ako Šakra	XLR	n/a	n/a	11 400	16 600	19 800	9 250	
<b>Indra V10 +</b>	RCA	n/a	6 000	7 000	9 850	12 700	5 700	
Amorphous alloy signal wire, updated multi-core geometry; STEALTH custom RCA and XLR	XLR	n/a	n/a	9 300	13 050	16 800	7 500	
<b>Tanto Dostupný od 2/2023</b>	RCA	n/a	5 000	5 900	7 300	8 800	3 500	
Novinka Interconnect STEALTH cable RCA and XLR	XLR	n/a	n/a	8 200	10 500	12 800	5 200	
<b>Metacarbon NS</b>	RCA	3 000	n/a	3 300	4 150	5 000	1 700	
Metallized Carbon, custom RCA a XLR. Metalizované uhlíkové vlákna. Neutrálny "Lives" otvorený zvukový charakter.	XLR	n/a	n/a	4 300	5 450	6 600	2 300	
<b>Nanofiber NS</b>	RCA	2 300	n/a	2 600	3 500	4 100	1 500	
Pure carbon - custom carbon connectors	XLR	n/a	n/a	3 400	4 400	5 400	2 000	
<b>Air King V16 NS</b>	RCA	1 700	n/a	2 300	2 700	3 100	800	
Ultra thin solid core silver	XLR	n/a	n/a	2 900	3 400	3 900	1 000	
<b>Air King na sklade 1m XLR AKCIA NS</b>		n/a	n/a	2 500	n/a	n/a	n/a	
Ultra thin solid core silver -40 %, pôvodná cena 2500	XLR	n/a	n/a	Akcia 1499	n/a	n/a	n/a	
<b>Swift V16</b>	RCA	1 060	1 160	1 300	1 530	1 800	540	
PRO monitoring cable (proprietary conductive composite) designed for correct tonality	XLR	n/a	1 400	1 600	1 960	2 360	720	
<b>Swift Na Sklade 1m RCA AKCIA</b>	RCA	n/a	n/a	AKCIA 720	n/a	n/a	n/a	
PRO monitoring cable (proprietary conductive composite) correct tonality -40 %, Pôvodná cena 1200 €	XLR	n/a	n/a	1 200	n/a	n/a	n/a	
<b>PGS V16 T NS</b>	RCA	1700	1800	1 900	2 180	2 460	560	
Tunable Pure 99.99% solid core Gold Signal	XLR	n/a	n/a	2 260	2 630	3 000	740	
<b>PGS V16 NS</b>	RCA	1100	1200	1 300	1 540	1 860	560	
Pure 99.99% solid core Gold Signal	XLR	n/a	n/a	1 660	2 030	2 400	740	
<b>PGS rew08 overte si stav skladu NS</b>	RCA	n/a	n/a	n/a	n/a	n/a	n/a	
Pure 99.99% solid core Gold Signal. Vodiče z čistého Zlata.	XLR	1 000	1 100	1 300	1 950	n/a	n/a	

vysvetlivka : n/a - ( not available ) Nevyrába sa

Digital Interconnects AES/EBU , RCA USB , S/PDIF		0.6 m	1 m	1.5 m	2 m	Každý ďalší meter Eur
<b>Octava -T S/PDIF</b>		4 300	4 500	5 150	5 800	1 300
Tunable - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver , Carbon) al. BNC	AES/EBU		5 700	6 250	7 200	1 500
<b>Octava Standard S/PDIF</b>		3 800	4 000	4 650	5 300	1 300
Tunable - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver , Carbon) al. BNC	AES/EBU		5 200	5 950	6 700	1 500
<b>Sextet V16 -T S/PDIF</b>		3 200	3 500	4 050	4600	1 100
Tunable - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver , Carbon) al. BNC	AES/EBU		4 400	5 050	5 700	1 300
<b>Sextet V16 - Standart S/PDIF</b>		2 500	2 800	3 350	3900	1 100
Tunable - Six Varidig cables in one, NEW STEALTH XLRs (ultra-Teflon/silver/carbon)	AES/EBU		3 700	4 350	5 000	1 300

Digital Interconnects AES/EBU , RCA, S/PDIF	0.6 m	1 m	1.5 m	2 m	Každý ďalší meter Eur
<b>Varidig V16 -T Select S/PDIF</b> <b>TUNABLE</b> impedance matching design, STEALTH custom Teflon/silver RCA or BNC	1 600	1 800	2 050	2300	500
<b>Varidig V16 -T Select AES/EBU</b> <b>TUNABLE</b> impedance matching design, STEALTH custom Teflon/silver XLR	n/a	2 400	2 690	2 980	580
<b>Varidig V16 -T S/PDIF</b> <b>TUNABLE</b> patent-pending impedance matching design, standard RCA or BNC	1 150	1 250	1 425	1600	350
<b>Varidig V16 -T AES/EBU</b> <b>TUNABLE</b> patent-pending impedance matching design, standard XLR	n/a	1 400	1 640	1 880	480
<b>Varidig V16 Standard S/PDIF</b> patent-pending impedance matching design, standard RCA or BNC	750	850	1 025	1200	350
<b>Varidig V16 Standard AES/EBU</b> patent-pending impedance matching design, standard XLR	n/a	1 000	1 240	1 480	480
<b>Black Magic Ethernet / LAN V16 Cat Ultra 6</b>	1 300	1 450	1 600	1 750	300
<b>Black Magic Ethernet / LAN V18 Cat Ultra 7</b>	1 450	1 550	1 700	1 850	300
<b>Black Magic Ethernet / LAN V19 Cat Ultra 7</b>	1 550	1 600	1 750	1 900	300
<b>Black Magic Ethernet / LAN V20 Cat Ultra 7</b>	1 600	1 800	1 950	2 100	300
<b>Black Magic Ethernet / LAN V21 Cat Ultra 7</b>	1 800	2 000	2 150	2 300	300
quad-coax digital cable, carbon shell RJ45					
<b>Varidig S/PDIF - RCA na sklade</b> Six Varidig cables in one, STEALTH (ultra-Teflon/silver/carbon)	n/a	700	n/a	n/a	n/a
<b>Digital Interconnects USB Modely na sklade</b>	0.6 m	1 m	1.5 m	2 m	Každý ďalší meter Eur
<b>USB na sklade</b>	n/a	850	950		
<b>USB V3</b>	n/a	1 000	1 100	1200	200
<b>USB - T na sklade</b> <b>TUNABLE</b> - optimized for audio geometry, user-tunable, carbon shells	n/a		1 350		
<b>USB - T Select na sklade</b> <b>TUNABLE</b> - optimized for audio geometry, user-tunable, hand-selected	n/a	1 650			
<b>USB - T Select V3 na sklade</b> <b>TUNABLE</b> - optimized for audio geometry, user-tunable, hand-selected	n/a	1 950	2 100	2250	400

Loudspeakers cables	Bi- wire	Tri-wire	<1.5 m	2 m	2,5 m	3 m	Každý ďalší meter Eur
<b>Dream Royale V19</b> Conductive core, flat silver/round silver/copper hybrid; para-vacuum dielectric	3 000	4 500	35 000	36000	49 500	63000	27 000
<b>Dream Royale V17</b> Conductive core, flat silver/round silver/copper hybrid; para-vacuum dielectric	2 500	3 750	29 500	30 500	42 500	50 500	22 000
<b>Dream V 18 T na sklade</b> Conductive core, flat silver/round silver/copper hybrid; Tunable. Carbon fiber based, para-vacuum dielectric	1 500	2 200	15 500	16 500	20 000	23 500	7 000
<b>Dream V 14 T</b> Conductive core, flat silver/round silver/copper hybrid; Tunable. Carbon fiber based, para-vacuum dielectric	1 400	2 100	13 700	14 700	18 000	21 300	6 600
<b>Dream Petite V16 T na sklade</b> <b>Tunable</b> Conductive core Vari cross geometri, para-vacuum dielectric	1 300	1 650	7 300	8300	10 500	12700	4 400
<b>Dream Petite V16 - Standart</b> Conductive core Vari cross geometri, para-vacuum dielectric	1300	1 650	6 800	7 800	10 000	12 200	4 400
<b>The Wave na sklade</b> Conductive core Vari cross geometri, para-vacuum dielectric	1200	1 600	6 200	7 200	9 000	10 800	3 600
<b>Cloude 99</b> Multi-layer TATC non-resonant matrix geometry; pure silver flat conductors, para- vacuum	1 200	1 600	5 000	5500	7 000	8500	3 000
<b>Reverie Premium terminated na sklade</b> Conductive strands 24+24 individual, in 6wire bundles, non-resonant matrix geometry; para-vacuum/Helium, Alloy Copper 90% /Silver /Molybdenum, Premium terminal silver spade	650	1 000	2 700	3 000	3 600	4 200	1 200
<b>Reverie Standard Standart terminated</b> Conductive strands 24+24 individual, in 6wire bundles, non-resonant matrix geometry; para-vacuum/Helium, Alloy Copper 90% /Silver /Molybdenum, Cardas standart terminal spade	450	600	2 300	2 600	3 200	3 800	1 200

<b>AC Power cables</b>	<b>1,2m</b>	<b>1,5 m</b>	<b>2 m</b>	<b>2,5 m</b>	<b>3 m</b>	Každý ďalší meter Eur
<b>Cloud Grande Full Silver</b> Flagship ... novinka	13 450	15 000	18 000	21000	24 000	6000
<b>Cloud Grande Novinka - na sklade</b> Flagship ... Novinka	9 000	10 200	11 400	12600	13 350	1800
<b>Dream V 20-20 Novinka - na sklade</b> New Flagship. Konfigurovateľný pre Wall, Power al. Preamp, al Digital	7 000	7 200	8 100	9000	9 900	1800
<b>Dream V 10-20 Novinka - na sklade</b> New Flagship. For Digital and Analog - with Metalized Carbon Fiber	4 000	4 600	5 200	5 800	6 400	1 100
<b>Dream V 18 UNI na sklade</b> Flagship. Konfigurovateľný pre Wall, Power al. Preamp, al Digital	6 800	7 000	7 700	8400	8 900	1400
<b>Dream V 18 Standard</b> Flagship.	6 300	6 500	7 200	7900	8 500	1400
<b>Dream V 16 UNI na sklade</b> Flagship. Konfigurovateľný pre Wall, Power al. Preamp, al Digital	5 800	6 000	6 650	7300	7 950	1300
<b>Dream V 16 Standart</b> Unikátna konštrukcia, OFC vodiče v špeciálnom laku a v tefonovej izolácii, v niekoľkých zväzkoch v paravákuu. Štyri Verzie : PreAmp, Digital, Power Amp, Wall	5200	5 400	6 050	6 700	7 350	1 100
<b>Dream V 10 4 Modely na sklade</b> Pozlátaná OFC meď v tefonovej izolácii, v niekoľkých zväzkoch v paravákuu. Štyri Verzie : PreAmp, Digital, Power Amp, Wall	3 000	3 300	3 750	4300	4 750	1000
<b>Cloude 99 Full Silver 99,997</b>	3900	4 100	4 600	5 100	5 600	800
<b>Straight AC Premium na sklade</b> Solid silver konektor ako u V10	2 200	2 300	2 700	3100	3 500	800
<b>Straight AC Standart</b> Standard terminated	1700	1 800	2 200	2 600	3 000	600
<b>M-8000 T Premium na sklade</b> Tunable/Laditeľný s Tuning Collars, Solid silver konektor ako u V10	2200	2 500	2 800	3 100	3 400	600
<b>M-8000 Premium</b> Solid silver konektor ako u V10	1900	2 000	2 300	2 600	2 960	600
<b>M-8000 na sklade</b> Standard terminated	1400	1 500	1 800	2 590	2 440	600
<b>M-7000 Solid silver konektor ako u V10</b> Ešte na sklade <b>AKCIA -30 %</b>		1 850 <b>1295</b>				
<b>Swift na sklade</b> Solid silver konektor ako u V10	980	1 025	1 150	1 275	1 400	250
<b>Swift na sklade</b> Standart terminated	580	625	750	875	1 000	250

<b>Phono cables</b>	<b>&lt;1,2m</b>	<b>1,5 m</b>	<b>2 m</b>
<b>Helios</b> Proprietary Phono cable, Wari-Cross in helium	9 800	10 400	11 000
<b>Hyperphono Na Sklade</b> Proprietary Phono cable	3800	4 200	4 800