

STEALTH Audio Cables

Analog Interconnects RCA / XLR		0.6 m	0.75 m	1 m	1.5 m	2 m	Každý ďalší meter
Šakra V17 Limited Edition	RCA	n/a	n/a	20 700	26 500	32 400	11 700
Dvojcestný Vari-Cross amorphous wire in Helium, Konštrukcia na zákazku bez finanč. limitu, STEALTH custom RCA and XLR	XLR	n/a	n/a	27 600	32 000	42 450	14 850
Šakra V16	RCA	n/a	n/a	13 800	17 700	21 600	7 800
Vari-Cross amorphous wire in Helium, Vylepšená verzia Šakra V12, STEALTH custom RCA and XLR	XLR	n/a	n/a	18 400	23 400	28 300	9 900
Šakra V12	RCA	n/a	n/a	12 000	15 800	19 600	7 600
Vari-Cross amorphous-in-Helium, our flagship interconnect STEALTH custom RCA and XLR	XLR	n/a	n/a	16 000	20 800	25 600	9 500
Indra V18 Novinka - na sklade	RCA	n/a	7 350	9 250	11 200	15 750	6 500
Amorphous alloy signal wire, updated multi-core geometry; STEALTH custom RCA a XLR, so zvukovým charakterom Šakra	XLR	n/a	n/a	11 400	16 600	19 800	9 250
Indra V10 +	RCA	n/a	6 000	7 000	9 850	12 700	5 700
Amorphous alloy signal wire, updated multi-core geometry; STEALTH custom RCA and XLR	XLR	n/a	n/a	9 300	13 050	16 800	7 500
Metacarbon	RCA	3 000	n/a	3 300	4 150	5 000	1 700
Metallized Carbon, custom RCA a XLR	XLR	n/a	n/a	4 300	5 450	6 600	2 300
Nanofiber	RCA	2 300	n/a	2 600	3 500	4 100	1 500
Pure carbon - custom carbon connectors	XLR	n/a	n/a	3 400	4 400	5 400	2 000
Air King V16	RCA	1 700	n/a	2 300	2 700	3 100	800
Ultra thin solid core silver	XLR	n/a	n/a	2 900	3 400	3 900	1 000
Air King na sklade 1m XLR AKCIA		n/a	n/a	2 500	n/a	n/a	n/a
Ultra thin solid core silver -34%, pôvodná cena 2500	XLR	n/a	n/a	Akcia 1650	n/a	n/a	n/a
Swift V16	RCA	1 060	1 160	1 300	1 530	1 800	540
PRO monitoring cable (proprietary conductive composite) designed for correct tonality	XLR	n/a	1 400	1 600	1 960	2 360	720
Swift na sklade 1m RCA AKCIA	RCA	n/a	n/a	AKCIA 790	n/a	n/a	n/a
PRO monitoring cable (proprietary conductive composite) design-ned for correct tonality -34%, pôvodná cena 1200 €	XLR	n/a	n/a	1 200	n/a	n/a	n/a
PGS V16 T	RCA	1700	1800	1 900	2 180	2 460	560
Tunable Pure 99.99% solid core Gold Signal	XLR	n/a	n/a	2 260	2 630	3 000	740
PGS V16	RCA	1100	1200	1 300	1 600	1 900	560
Pure 99.99% solid core Gold Signal	XLR	n/a	n/a	1 660	2 030	2 400	740
PGS rew08	RCA	n/a	n/a	n/a	n/a	n/a	n/a
Pure 99.99% solid core Gold Signal	XLR	1 000	1 100	1 300	1 950	n/a	n/a

vysvetlivka : n/a - (not available) Nevyrába sa

Digital Interconnects AES/EBU , RCA USB , S/PDIF	0.6 m	1 m	1.5 m	2 m	Každý ďalší meter
Octava -T S/PDIF	4 300	4 500	5 150	5 800	1 300
Tunable - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver , Carbon) al. BNC	AES/EBU	5 700	6 250	7 200	1 500
Octava Standard S/PDIF	3 800	4 000	4 650	5 300	1 300
Tunable - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver , Carbon) al. BNC	AES/EBU	5 200	5 950	6 700	1 500
Sextet V16 -T S/PDIF	3 200	3 500	4 050	4600	1 100
Tunable - Laditeľný -Six Varidig kábel v jednom plášti, STEALTH RCA konektor (ultra Teflon Silver , Carbon) al. BNC					
Sextet V16 -T AES/EBU	n/a	4 400	5 050	5 700	1 300
Tunable - Six Varidig cables in one, NEW STEALTH XLRs (ultra-Teflon/silver/carbon)					
Sextet V16 -T standard S/PDIF	2 500	2 800	3 350	3900	1 100
Six Varidig cables in one, NEW for 2016 STEALTH RCAs (ultra-Teflon/silver/carbon) or BNC					
Sextet V16 -T standart AES/EBU	n/a	3 700	4 350	5 000	1 300
Six Varidig cables in one, NEW for 2014 STEALTH XLRs (ultra-Teflon/silver/carbon)					
Varidig V16 -T Select S/PDIF	1 600	1 800	2 050	2300	500
TUNABLE impedance matching design, STEALTH custom Teflon/silver RCA or BNC					
Varidig V16 -T Select AES/EBU	n/a	2 400	2 690	2 980	580
TUNABLE impedance matching design, STEALTH custom Teflon/silver XLR					

Digital Interconnects AES/EBU , RCA USB, S/PDIF	0.6 m	1 m	1.5 m	2 m	Každý ďalší meter
Varidig V16 -T S/PDIF <small>TUNABLE patent-pending impedance matching design, standard RCA or BNC</small>	1 150	1 250	1 425	1600	350
Varidig V16 -T AES/EBU <small>TUNABLE patent-pending impedance matching design, standard XLR</small>	n/a	1 400	1 640	1 880	480
Varidig V16 Standard S/PDIF <small>patent-pending impedance matching design, standard RCA or BNC</small>	750	850	1 025	1200	350
Varidig V16 Standard AES/EBU <small>patent-pending impedance matching design, standard XLR</small>	n/a	1 000	1 240	1 480	480
Black Magic Ethernet / LAN V16 Cat Ultra 6	1 300	1 450	1 600	1 750	300
Black Magic Ethernet / LAN V18 Cat Ultra 7	1 450	1 550	1 700	1 850	300
Black Magic Ethernet / LAN V19 Cat Ultra 7	1 550	1 600	1 750	1 900	300
Black Magic Ethernet / LAN V20 Cat Ultra 7	1 600	1 800	1 950	2 100	300
Black Magic Ethernet / LAN V21 Cat Ultra 7	1 800	2 000	2 150	2 300	300
quad-coax digital cable, carbon shell RJ45					
Varidig S/PDIF - RCA na sklade <small>Six Varidig cables in one, STEALTH (ultra-Teflon/silver/carbon)</small>	n/a	700	n/a	n/a	n/a
Digital Interconnects USB	0.6 m	1 m	1.5 m	2 m	Každý ďalší meter
USB <small>optimized for audio geometry</small>	n/a	850	950	1050	200
USB - T <small>TUNABLE - optimized for audio geometry, user-tunable, carbon shells</small>	n/a	1 250	1 350	1450	200
USB - T Select V2 <small>TUNABLE - optimized for audio geometry, user-tunable, hand-selected</small>	n/a	1 650	1 825	2000	350
USB - T Select V3 <small>TUNABLE - optimized for audio geometry, user-tunable, hand-selected</small>	n/a	1 950	2 100	2250	400

Loudspeakers cables	Bi-wire	Tri-wire	<1.5 m	2 m	2,5 m	3 m	Každý ďalší meter
Dream Royale V19 <small>Conductive core, flat silver/round silver/copper hybrid; para-vacuum dielectric</small>	3 000	4 500	35 000	36000	49 500	63000	27 000
Dream Royale V17 <small>Conductive core, flat silver/round silver/copper hybrid; para-vacuum dielectric</small>	2 500	3 750	29 500	30500	42 500	50500	22 000
Dream V 18 - T <small>Conductive core, flat silver/round silver/copper hybrid; Tunable. Carbon fiber based, para-vacuum dielectric</small>	1500	2 200	15 500	16 500	20 000	23 500	7 000
Dream V 14 <small>Conductive core, flat silver/round silver/copper hybrid; Tunable. Carbon fiber based, para-vacuum dielectric</small>	1400	2 100	13 700	14 700	18 000	21 300	6 600
Dream Petite V16 - T tunable <small>Tunable Conductive core Vari cross geometri, para-vacuum dielectric</small>	1 300	1 650	7 300	8300	10 500	12700	4 400
Dream Petite V16 - Standart <small>Conductive core Vari cross geometri, para-vacuum dielectric</small>	1300	1 650	6 800	7 800	10 000	12 200	4 400
The Wave <small>Conductive core Vari cross geometri, para-vacuum dielectric</small>	1200	1 650	6 200	7 200	9 000	10 800	3 600
Cloude 99 <small>Multi-layer TATC non-resonant matrix geometry; pure silver flat conductors, para- vacuum</small>	1 200	1 600	5 000	5500	7 000	8500	3 000
Reverie Premium Premium terminated <small>Conductive strands 24+24 individual, in 6wire bundles, non-resonant matrix geometry; para-vacum/Helium, Alloy Copper 90% /Silver /Molybdenum. Premium terminal silver spade</small>	650	1 000	2 700	3 000	3 600	4 200	1 200
Reverie Standard Standart terminated <small>Conductive strands 24+24 individual, in 6wire bundles, non-resonant matrix geometry; para-vacum/Helium, Alloy Copper 90% /Silver /Molybdenum. Cardas standart terminal. spade</small>	450	600	2 300	2 600	3 200	3 800	1 200

AC Power cables	1,2m	1,5 m	2 m	2,5 m	3 m	Každý ďalší meter
Dream V 20-20 New Flagship. Konfigurovateľný pre Wall, Power al. Preamp, al Digital	7 000	7 200	8 100	9000	9 900	1800
Dream V 18 UNI Flagship. Konfigurovateľný pre Wall, Power al. Preamp, al Digital	6 800	7 000	7 700	8400	8 900	1400
Dream V 18 Standard Flagship.	6 300	6 500	7 200	7900	8 500	1400
Cloud Grande Full Silver Flagship ... novinka	13 450	15 000	18 000	21000	24 000	6000
Cloud Grande Flagship ... Novinka	9 000	10 200	11 400	12600	13 350	1800
Dream V 16 UNI Flagship. Konfigurovateľný pre Wall, Power al. Preamp, al Digital	5 800	6 000	6 650	7300	7 950	1300
Dream V 16 Standart Unikátna konštrukcia, OFC vodiče v špeciálnom laku a v tefonovej izolácii, v niekoľkých zväzkoch v paravákuu. Štyri Verzie : PreAmp, Digital, Power Amp, Wall	5200	5 400	6 050	6 700	7 350	1 100
Dream V 10 Pozlátaná OFC meď v tefonovej izolácii, v niekoľkých zväzkoch v paravákuu. Štyri Verzie : PreAmp, Digital, Power Amp, Wall	3 000	3 300	3 750	4300	4 750	1000
Cloude 99 Full Silver 99,997 Strieborné vodiče a páskové špirály, Paravákum	3900	4 100	4 600	5 100	5 600	800
Straight AC Premium Solid silver konektor ako u V10	2 200	2 300	2 700	3100	3 500	800
Straight AC Standart Standard terminated	1700	1 800	2 200	2 600	3 000	600
M-8000 T Premium Tunable/Laditeľný s Tuning Collars, Solid silver konektor ako u V10	2200	2 500	2 800	3 100	3 400	600
M-8000 Premium Solid silver konektor ako u V10	1900	2 000	2 300	2 600	2 960	600
M-8000 Standard terminated	1400	1 500	1 800	2 590	2 440	600
M-7000 Solid silver konektor ako u V10 Ešte na sklade		1 850				
Swift Solid silver konektor ako u V10	980	1 025	1 150	1 275	1 400	250
Swift Standart terminated	580	625	750	875	1 000	250

Phono cables	<1,2m	1,5 m	2 m
Helios Proprietary Phono cable, Wari-Cross in helium	9 800	10 400	11 000
Hyperphono Proprietary Phono cable	3800	4 200	4 800